

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Electrically Conductive Signalling Interconnects and Leads

Product Description

This certificate covers the building of electrically conductive Signalling Interconnects & Leads for Signalling Equipment. These are manufactured using Signalling Cable that has previously been approved (under separate certification) and have MIL5015 style Couplers assembled on the cable. The Interconnects & Leads may either be supplied coiled in short lengths or as long lengths on a drum. (Both images show Interconnects. Leads have a plug coupler at one end only). The Interconnects & Leads listed on this certificate cover those items shown on the Plug & Play Guidance Note 7 Appendices and the other cable core sizes and sheath equivalents.

Product Image



Scope of Acceptance


Full Acceptance

- Interconnects & Leads defined in this certificate.
Further restrictions specified in Specific Conditions section of this certificate (overleaf).

Network Rail Acceptance Panel (NRAP) hereby authorises the product above for use and trial use on railway infrastructure for which Network Rail is the Infrastructure Manager under the ROGS regulations.

Authorised by:

Stephen Rennolds
Product Acceptance Specialist



Jerry Morling BEng MSc, CEng, MIET, MIRSE
Network Technical Head of Signalling

Certificate of Acceptance

OFFICIAL
PA05/07524**Manufacturer:**
AB Connectors**Issue :** 1
Valid From : 08-12-2023**Specific Conditions**

The following Conditions are specific to the approved product/s contained within this Certificate. These conditions must be adhered to in addition to the Network Rail General Conditions contained within the "General Terms and Conditions" section. Failure to adhere to these conditions may result in the withdrawal or suspension of Acceptance of some, or all of the items contained within the accepted configuration.

Manufacturer

- 1) Shall only manufacture these Interconnects and Leads at their factory in Abercynon.
- 2) Shall provide copies of unique traceable Certificates of Conformance with each configuration item.

User

- 1) Shall provide copies of briefing notes and an appropriate level of training to users of the Wired Plugs & Receptacles.
- 2) Shall provide copies of O&M manuals (covering installation, maintenance, testing and tool list) to purchasers & users of the Wired Plugs & Receptacles.
- 3) Shall provide copies of unique traceable Certificates of Conformance with each configuration item to the maintainer.
- 4) Ensure that the Wired Plugs & Receptacles are installed correctly and tested before the signalling system is commissioned.
- 5) Ensure that Wired Plugs & Receptacles are secured in place and positioned to avoid maintenance hazards.
- 6) Shall Ensure product is applied as per manufacturers specification. Product compliant to BS EN 45545-2:2013+A1:2015

User: Specifiers, installers, operators, maintainers, etc. using the product shall:

- 1) Ensure that installation and maintenance is only performed by personnel that have completed the appropriate training course.
- 2) Ensure that removal and replacement of equipment is in accordance with the O&M manuals.

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Table of Contents

Table No.	Appendix in P&P Guidance Note 7	Description	Page No.
1	B4	Interconnects and Leads – General Use	3
2	D1	Interconnects and Leads – MCB-OD	51
3	E1, E2 & E3	Interconnects and Leads – Signals & Indicators	53
4	F1	Interconnects and Leads – Train Protection & Warning Systems	60
5	G1	Interconnects and Leads – Point Operating Equipment RCPL/IBCL & HyDrive < 50m from Location Case	66
6	G2	Interconnects and Leads – Point Operating Equipment HyDrive >50m from Location Case	76
7	G3	Interconnects and Leads – Miscellaneous Point Operating Equipment	78
8	H1 & J2	Interconnects and Leads – Train Detection Lineside AzLM and Quad Cabling	80
9	J1	Interconnects and Leads – Lineside Cabling	105
10	-	Interconnects and Leads – RCPL/IBCL	116
11	-	Leads – Alstom SmartIO	116

Product Configuration

**Table 1 Interconnects and Leads
Plug & Play Guidance Note 7 Appendix B4 – General Use**

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
1	SE-SK 0801/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188001
2	SE-SK 0801/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188002
3	SE-SK 0801/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188003
4	SE-SK 0801/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188004
5	SE-SK 0801/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188005
6	SE-SK 0801/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190501
7	SE-SK 0801/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190502

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
8	SE-SK 0801/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190503
9	SE-SK 0801/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190504
10	SE-SK 0801/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190505
11	SE-SK 0803/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188011
12	SE-SK 0803/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188012
13	SE-SK 0803/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188013
14	SE-SK 0803/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188014
15	SE-SK 0803/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188015
16	SE-SK 0803/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190511
17	SE-SK 0803/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190512
18	SE-SK 0803/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190513
19	SE-SK 0803/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190514
20	SE-SK 0803/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190515
21	SE-SK 0805/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189001
22	SE-SK 0805/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189002
23	SE-SK 0805/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189003
24	SE-SK 0805/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189004
25	SE-SK 0805/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189005
26	SE-SK 0805/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191501
27	SE-SK 0805/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191502
28	SE-SK 0805/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191503
29	SE-SK 0805/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191504
30	SE-SK 0805/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191505
31	SE-SK 0806/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189006

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
32	SE-SK 0806/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189007
33	SE-SK 0806/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189008
34	SE-SK 0806/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189009
35	SE-SK 0806/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189010
36	SE-SK 0806/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191506
37	SE-SK 0806/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191507
38	SE-SK 0806/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191508
39	SE-SK 0806/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191509
40	SE-SK 0806/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191510
41	SE-SK 0808/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189011
42	SE-SK 0808/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189012
43	SE-SK 0808/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189013
44	SE-SK 0808/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189014
45	SE-SK 0808/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189015
46	SE-SK 0808/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191511
47	SE-SK 0808/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191512
48	SE-SK 0808/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191513
49	SE-SK 0808/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191514
50	SE-SK 0808/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191515
51	SE-SK 0629/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188301
52	SE-SK 0629/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188302
53	SE-SK 0629/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188303
54	SE-SK 0629/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188304
55	SE-SK 0629/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188305

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
56	SE-SK 0629/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188701
57	SE-SK 0629/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188702
58	SE-SK 0629/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188703
59	SE-SK 0629/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188704
60	SE-SK 0629/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188705
61	SE-SK 0631/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188311
62	SE-SK 0631/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188312
63	SE-SK 0631/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188313
64	SE-SK 0631/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188314
65	SE-SK 0631/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188315
66	SE-SK 0631/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188711
67	SE-SK 0631/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188712
68	SE-SK 0631/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188713
69	SE-SK 0631/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188714
70	SE-SK 0631/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188715
71	SE-SK 0633/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189301
72	SE-SK 0633/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189302
73	SE-SK 0633/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189303
74	SE-SK 0633/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189300
75	SE-SK 0633/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189305
76	SE-SK 0633/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189701
77	SE-SK 0633/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189702
78	SE-SK 0633/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189703
79	SE-SK 0633/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189704

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
80	SE-SK 0633/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189705
81	SE-SK 0634/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189299
82	SE-SK 0634/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189306
83	SE-SK 0634/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189307
84	SE-SK 0634/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189308
85	SE-SK 0634/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189310
86	SE-SK 0634/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189706
87	SE-SK 0634/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189707
88	SE-SK 0634/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189708
89	SE-SK 0634/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189709
90	SE-SK 0634/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189710
91	SE-SK 0636/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189312
92	SE-SK 0636/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189311
93	SE-SK 0636/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189313
94	SE-SK 0636/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189314
95	SE-SK 0636/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189315
96	SE-SK 0636/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189711
97	SE-SK 0636/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189712
98	SE-SK 0636/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189713
99	SE-SK 0636/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189714
100	SE-SK 0636/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189715
101	SE-SK 0817/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188021
102	SE-SK 0817/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188022
103	SE-SK 0817/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188023

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
104	SE-SK 0817/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188024
105	SE-SK 0817/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188025
106	SE-SK 0817/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190521
107	SE-SK 0817/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190522
108	SE-SK 0817/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190523
109	SE-SK 0817/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190524
110	SE-SK 0817/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190525
111	SE-SK 0819/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188031
112	SE-SK 0819/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188032
113	SE-SK 0819/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188033
114	SE-SK 0819/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188034
115	SE-SK 0819/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188035
116	SE-SK 0819/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190531
117	SE-SK 0819/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190532
118	SE-SK 0819/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190533
119	SE-SK 0819/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190534
120	SE-SK 0819/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190535
121	SE-SK 0821/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189021
122	SE-SK 0821/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189022
123	SE-SK 0821/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189023
124	SE-SK 0821/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189024
125	SE-SK 0821/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189025
126	SE-SK 0821/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191521
127	SE-SK 0821/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191522

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
128	SE-SK 0821/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191523
129	SE-SK 0821/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191524
130	SE-SK 0821/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191525
131	SE-SK 0822/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189026
132	SE-SK 0822/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189027
133	SE-SK 0822/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189028
134	SE-SK 0822/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189029
135	SE-SK 0822/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189030
136	SE-SK 0822/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191526
137	SE-SK 0822/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191527
138	SE-SK 0822/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191528
139	SE-SK 0822/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191529
140	SE-SK 0822/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191530
141	SE-SK 0824/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189031
142	SE-SK 0824/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189032
143	SE-SK 0824/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189033
144	SE-SK 0824/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189034
145	SE-SK 0824/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189035
146	SE-SK 0824/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191531
147	SE-SK 0824/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191532
148	SE-SK 0824/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191533
149	SE-SK 0824/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191534
150	SE-SK 0824/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191535
151	SE-SK 0637/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188321

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
152	SE-SK 0637/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188322
153	SE-SK 0637/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188323
154	SE-SK 0637/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188324
155	SE-SK 0637/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188325
156	SE-SK 0637/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188721
157	SE-SK 0637/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188722
158	SE-SK 0637/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188723
159	SE-SK 0637/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188724
160	SE-SK 0637/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188725
161	SE-SK 0639/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188331
162	SE-SK 0639/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188332
163	SE-SK 0639/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188333
164	SE-SK 0639/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188334
165	SE-SK 0639/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188335
166	SE-SK 0639/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188731
167	SE-SK 0639/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188732
168	SE-SK 0639/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188733
169	SE-SK 0639/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188734
170	SE-SK 0639/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188735
171	SE-SK 0641/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189324
172	SE-SK 0641/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189321
173	SE-SK 0641/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189322
174	SE-SK 0641/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189323
175	SE-SK 0641/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189325

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
176	SE-SK 0641/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189721
177	SE-SK 0641/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189722
178	SE-SK 0641/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189723
179	SE-SK 0641/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189724
180	SE-SK 0641/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189725
181	SE-SK 0642/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189466
182	SE-SK 0642/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189326
183	SE-SK 0642/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189327
184	SE-SK 0642/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189328
185	SE-SK 0642/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189330
186	SE-SK 0642/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189726
187	SE-SK 0642/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189727
188	SE-SK 0642/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189728
189	SE-SK 0642/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189729
190	SE-SK 0642/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189730
191	SE-SK 0644/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189332
192	SE-SK 0644/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189331
193	SE-SK 0644/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189333
194	SE-SK 0644/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189334
195	SE-SK 0644/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189335
196	SE-SK 0644/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189731
197	SE-SK 0644/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189732
198	SE-SK 0644/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189733
199	SE-SK 0644/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189734

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
200	SE-SK 0644/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189735
201	SE-SK 0685/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190001
202	SE-SK 0685/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190002
203	SE-SK 0685/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190003
204	SE-SK 0685/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190004
205	SE-SK 0685/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190005
206	SE-SK 0685/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190201
207	SE-SK 0685/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190202
208	SE-SK 0685/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190203
209	SE-SK 0685/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190204
210	SE-SK 0685/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190205
211	SE-SK 0686/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190006
212	SE-SK 0686/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190007
213	SE-SK 0686/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190008
214	SE-SK 0686/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190009
215	SE-SK 0686/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190210
216	SE-SK 0686/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190211
217	SE-SK 0686/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190212
218	SE-SK 0686/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190213
219	SE-SK 0686/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190214
220	SE-SK 0686/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190215
221	SE-SK 0687/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190016
222	SE-SK 0687/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190017
223	SE-SK 0687/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190018

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
224	SE-SK 0687/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190019
225	SE-SK 0687/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190020
226	SE-SK 0687/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190216
227	SE-SK 0687/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190217
228	SE-SK 0687/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190218
229	SE-SK 0687/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190219
230	SE-SK 0687/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190220
231	SE-SK 0689/01 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) to Free End	006/191001
232	SE-SK 0689/02 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) to Free End	006/191002
233	SE-SK 0689/03 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) to Free End	006/191003
234	SE-SK 0689/04 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) to Free End	006/191004
235	SE-SK 0689/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 4-core cable, with MIL5015 Plug (F) to Free End	006/191005
236	SE-SK 0689/11 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191201
237	SE-SK 0689/12 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191202
238	SE-SK 0689/13 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191203
239	SE-SK 0689/14 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191204
240	SE-SK 0689/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191205
241	SE-SK 0690/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191006
242	SE-SK 0690/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191007
243	SE-SK 0690/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191008
244	SE-SK 0690/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191009
245	SE-SK 0690/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191010
246	SE-SK 0690/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191206
247	SE-SK 0690/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191207

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
248	SE-SK 0690/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191208
249	SE-SK 0690/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191209
250	SE-SK 0690/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 4-core cable, with Free End to MIL5015 Plug (M)	006/191210
251	SE-SK 0691/01 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Receptacle (M)	006/191016
252	SE-SK 0691/02 Rev A or later	NR P&P, Lead, 7.5m long, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Receptacle (M)	006/191017
253	SE-SK 0691/03 Rev A or later	NR P&P, Lead, 15m long, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Receptacle (M)	006/191018
254	SE-SK 0691/04 Rev A or later	NR P&P, Lead, 25m long, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Receptacle (M)	006/191019
255	SE-SK 0691/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 4-core cable, with Free End to MIL5015 Receptacle (M)	006/191020
256	SE-SK 0691/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 4-core cable, with Free End to MIL5015 Receptacle (M)	006/191216
257	SE-SK 0691/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 4-core cable, with Free End to MIL5015 Receptacle (M)	006/191217
258	SE-SK 0691/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 4-core cable, with Free End to MIL5015 Receptacle (M)	006/191218
259	SE-SK 0691/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 4-core cable, with Free End to MIL5015 Receptacle (M)	006/191219
260	SE-SK 0691/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 4-core cable, with Free End to MIL5015 Receptacle (M)	006/191220
261	SE-SK 0692/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) to Free End	006/191011
262	SE-SK 0692/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) to Free End	006/191012
263	SE-SK 0692/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) to Free End	006/191013
264	SE-SK 0692/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) to Free End	006/191014
265	SE-SK 0692/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) to Free End	006/191015
266	SE-SK 0692/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) to Free End	006/191211
267	SE-SK 0692/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) to Free End	006/191212
268	SE-SK 0692/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) to Free End	006/191213
269	SE-SK 0692/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) to Free End	006/191214
270	SE-SK 0692/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 4-core cable, with MIL5015 Receptacle (F) to Free End	006/191215
271	SE-SK 0825/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188041

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
272	SE-SK 0825/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188042
273	SE-SK 0825/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188043
274	SE-SK 0825/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188044
275	SE-SK 0825/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188045
276	SE-SK 0825/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190541
277	SE-SK 0825/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190542
278	SE-SK 0825/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190543
279	SE-SK 0825/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190544
280	SE-SK 0825/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190545
281	SE-SK 0827/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188051
282	SE-SK 0827/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188052
283	SE-SK 0827/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188053
284	SE-SK 0827/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188054
285	SE-SK 0827/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188055
286	SE-SK 0827/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190551
287	SE-SK 0827/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190552
288	SE-SK 0827/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190553
289	SE-SK 0827/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190554
290	SE-SK 0827/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190555
291	SE-SK 0829/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189041
292	SE-SK 0829/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189042
293	SE-SK 0829/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189043
294	SE-SK 0829/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189044
295	SE-SK 0829/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189045

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
296	SE-SK 0829/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191541
297	SE-SK 0829/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191542
298	SE-SK 0829/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191543
299	SE-SK 0829/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191544
300	SE-SK 0829/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191545
301	SE-SK 0830/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189046
302	SE-SK 0830/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189047
303	SE-SK 0830/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189048
304	SE-SK 0830/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189049
305	SE-SK 0830/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189050
306	SE-SK 0830/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191546
307	SE-SK 0830/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191547
308	SE-SK 0830/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191548
309	SE-SK 0830/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191549
310	SE-SK 0830/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191550
311	SE-SK 0832/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189051
312	SE-SK 0832/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189052
313	SE-SK 0832/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189053
314	SE-SK 0832/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189054
315	SE-SK 0832/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189055
316	SE-SK 0832/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191551
317	SE-SK 0832/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191552
318	SE-SK 0832/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191553
319	SE-SK 0832/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191554

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
320	SE-SK 0832/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191555
321	SE-SK 0645/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188356
322	SE-SK 0645/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188357
323	SE-SK 0645/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188358
324	SE-SK 0645/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188359
325	SE-SK 0645/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188360
326	SE-SK 0645/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188756
327	SE-SK 0645/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188757
328	SE-SK 0645/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188758
329	SE-SK 0645/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188759
330	SE-SK 0645/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188760
331	SE-SK 0647/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188366
332	SE-SK 0647/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188367
333	SE-SK 0647/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188368
334	SE-SK 0647/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188369
335	SE-SK 0647/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188370
336	SE-SK 0647/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188766
337	SE-SK 0647/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188767
338	SE-SK 0647/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188768
339	SE-SK 0647/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188769
340	SE-SK 0647/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188770
341	SE-SK 0649/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189356
342	SE-SK 0649/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189357
343	SE-SK 0649/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189358

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
344	SE-SK 0649/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189359
345	SE-SK 0649/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189360
346	SE-SK 0649/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189741
347	SE-SK 0649/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189742
348	SE-SK 0649/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189743
349	SE-SK 0649/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189744
350	SE-SK 0649/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189745
351	SE-SK 0650/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189465
352	SE-SK 0650/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189361
353	SE-SK 0650/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189362
354	SE-SK 0650/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189363
355	SE-SK 0650/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189365
356	SE-SK 0650/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189746
357	SE-SK 0650/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189747
358	SE-SK 0650/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189748
359	SE-SK 0650/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189749
360	SE-SK 0650/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189750
361	SE-SK 0652/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189367
362	SE-SK 0652/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189366
363	SE-SK 0652/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189368
364	SE-SK 0652/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189369
365	SE-SK 0652/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189370
366	SE-SK 0652/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189751
367	SE-SK 0652/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189752

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
368	SE-SK 0652/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189753
369	SE-SK 0652/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189754
370	SE-SK 0652/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189755
371	SE-SK 0694/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190021
372	SE-SK 0694/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190022
373	SE-SK 0694/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190023
374	SE-SK 0694/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190024
375	SE-SK 0694/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190025
376	SE-SK 0694/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190221
377	SE-SK 0694/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190222
378	SE-SK 0694/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190223
379	SE-SK 0694/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190224
380	SE-SK 0694/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190225
381	SE-SK 0696/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190031
382	SE-SK 0696/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190032
383	SE-SK 0696/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190033
384	SE-SK 0696/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190034
385	SE-SK 0696/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190035
386	SE-SK 0696/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190231
387	SE-SK 0696/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190232
388	SE-SK 0696/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190233
389	SE-SK 0696/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190234
390	SE-SK 0696/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190235
391	SE-SK 0698/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 7-core cable, with MIL5015 Plug (F) to Free End	006/191021

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
392	SE-SK 0698/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 7-core cable, with MIL5015 Plug (F) to Free End	006/191022
393	SE-SK 0698/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 7-core cable, with MIL5015 Plug (F) to Free End	006/191023
394	SE-SK 0698/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 7-core cable, with MIL5015 Plug (F) to Free End	006/191024
395	SE-SK 0698/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 7-core cable, with MIL5015 Plug (F) to Free End	006/191025
396	SE-SK 0698/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 7-core cable, with MIL5015 Plug (F) to Free End	006/191221
397	SE-SK 0698/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 7-core cable, with MIL5015 Plug (F) to Free End	006/191222
398	SE-SK 0698/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 7-core cable, with MIL5015 Plug (F) to Free End	006/191223
399	SE-SK 0698/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 7-core cable, with MIL5015 Plug (F) to Free End	006/191224
400	SE-SK 0698/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 7-core cable, with MIL5015 Plug (F) to Free End	006/191225
401	SE-SK 0699/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 7-core cable, with Free End to MIL5015 Plug (M)	006/191026
402	SE-SK 0699/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 7-core cable, with Free End to MIL5015 Plug (M)	006/191027
403	SE-SK 0699/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 7-core cable, with Free End to MIL5015 Plug (M)	006/191028
404	SE-SK 0699/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 7-core cable, with Free End to MIL5015 Plug (M)	006/191029
405	SE-SK 0699/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 7-core cable, with Free End to MIL5015 Plug (M)	006/191030
406	SE-SK 0699/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 7-core cable, with Free End to MIL5015 Plug (M)	006/191226
407	SE-SK 0699/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 7-core cable, with Free End to MIL5015 Plug (M)	006/191227
408	SE-SK 0699/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 7-core cable, with Free End to MIL5015 Plug (M)	006/191228
409	SE-SK 0699/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 7-core cable, with Free End to MIL5015 Plug (M)	006/191229
410	SE-SK 0699/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 7-core cable, with Free End to MIL5015 Plug (M)	006/191230
411	SE-SK 0701/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) to Free End	006/191031
412	SE-SK 0701/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) to Free End	006/191032
413	SE-SK 0701/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) to Free End	006/191033
414	SE-SK 0701/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) to Free End	006/191034
415	SE-SK 0701/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) to Free End	006/191035

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
416	SE-SK 0701/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) to Free End	006/191231
417	SE-SK 0701/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) to Free End	006/191232
418	SE-SK 0701/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) to Free End	006/191233
419	SE-SK 0701/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) to Free End	006/191234
420	SE-SK 0701/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 7-core cable, with MIL5015 Receptacle (F) to Free End	006/191235
421	SE-SK 0833/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188061
422	SE-SK 0833/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188062
423	SE-SK 0833/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188063
424	SE-SK 0833/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188064
425	SE-SK 0833/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188065
426	SE-SK 0833/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190561
427	SE-SK 0833/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190562
428	SE-SK 0833/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190563
429	SE-SK 0833/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190564
430	SE-SK 0833/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190565
431	SE-SK 0835/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188071
432	SE-SK 0835/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188072
433	SE-SK 0835/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188073
434	SE-SK 0835/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188074
435	SE-SK 0835/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188075
436	SE-SK 0835/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190571
437	SE-SK 0835/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190572
438	SE-SK 0835/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190573
439	SE-SK 0835/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190574

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
440	SE-SK 0835/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190575
441	SE-SK 0837/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189061
442	SE-SK 0837/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189062
443	SE-SK 0837/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189063
444	SE-SK 0837/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189064
445	SE-SK 0837/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189065
446	SE-SK 0837/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191561
447	SE-SK 0837/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191562
448	SE-SK 0837/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191563
449	SE-SK 0837/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191564
450	SE-SK 0837/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191565
451	SE-SK 0838/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189066
452	SE-SK 0838/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189067
453	SE-SK 0838/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189068
454	SE-SK 0838/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189069
455	SE-SK 0838/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189070
456	SE-SK 0838/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191566
457	SE-SK 0838/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191567
458	SE-SK 0838/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191568
459	SE-SK 0838/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191569
460	SE-SK 0838/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191570
461	SE-SK 0840/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189071
462	SE-SK 0840/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189072
463	SE-SK 0840/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189073

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
464	SE-SK 0840/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189074
465	SE-SK 0840/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189075
466	SE-SK 0840/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191571
467	SE-SK 0840/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191572
468	SE-SK 0840/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191573
469	SE-SK 0840/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191574
470	SE-SK 0840/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191575
471	SE-SK 0653/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188376
472	SE-SK 0653/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188377
473	SE-SK 0653/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188378
474	SE-SK 0653/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188379
475	SE-SK 0653/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188380
476	SE-SK 0653/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188776
477	SE-SK 0653/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188777
478	SE-SK 0653/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188778
479	SE-SK 0653/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188779
480	SE-SK 0653/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188780
481	SE-SK 0655/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188386
482	SE-SK 0655/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188387
483	SE-SK 0655/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188388
484	SE-SK 0655/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188389
485	SE-SK 0655/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188390
486	SE-SK 0655/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188786
487	SE-SK 0655/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188787

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
488	SE-SK 0655/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188788
489	SE-SK 0655/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188789
490	SE-SK 0655/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188790
491	SE-SK 0657/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189376
492	SE-SK 0657/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189377
493	SE-SK 0657/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189378
494	SE-SK 0657/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189463
495	SE-SK 0657/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189380
496	SE-SK 0657/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189761
497	SE-SK 0657/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189762
498	SE-SK 0657/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189763
499	SE-SK 0657/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189764
500	SE-SK 0657/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189765
501	SE-SK 0658/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189462
502	SE-SK 0658/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189381
503	SE-SK 0658/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189382
504	SE-SK 0658/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189383
505	SE-SK 0658/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189385
506	SE-SK 0658/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189766
507	SE-SK 0658/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189767
508	SE-SK 0658/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189768
509	SE-SK 0658/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189769
510	SE-SK 0658/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189770
511	SE-SK 0660/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189387

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
512	SE-SK 0660/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189386
513	SE-SK 0660/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189388
514	SE-SK 0660/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189389
515	SE-SK 0660/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189390
516	SE-SK 0660/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189771
517	SE-SK 0660/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189772
518	SE-SK 0660/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189773
519	SE-SK 0660/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189774
520	SE-SK 0660/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189775
521	SE-SK 0703/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190041
522	SE-SK 0703/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190042
523	SE-SK 0703/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190043
524	SE-SK 0703/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190044
525	SE-SK 0703/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190045
526	SE-SK 0703/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190241
527	SE-SK 0703/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190242
528	SE-SK 0703/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190243
529	SE-SK 0703/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190244
530	SE-SK 0703/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190245
531	SE-SK 0705/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190051
532	SE-SK 0705/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190052
533	SE-SK 0705/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190053
534	SE-SK 0705/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190054
535	SE-SK 0705/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190055

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
536	SE-SK 0705/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190251
537	SE-SK 0705/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190252
538	SE-SK 0705/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190253
539	SE-SK 0705/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190254
540	SE-SK 0705/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190255
541	SE-SK 0707/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 10-core cable, with MIL5015 Plug (F) to Free End	006/191041
542	SE-SK 0707/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 10-core cable, with MIL5015 Plug (F) to Free End	006/191042
543	SE-SK 0707/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 10-core cable, with MIL5015 Plug (F) to Free End	006/191043
544	SE-SK 0707/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 10-core cable, with MIL5015 Plug (F) to Free End	006/191044
545	SE-SK 0707/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 10-core cable, with MIL5015 Plug (F) to Free End	006/191045
546	SE-SK 0707/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 10-core cable, with MIL5015 Plug (F) to Free End	006/191241
547	SE-SK 0707/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 10-core cable, with MIL5015 Plug (F) to Free End	006/191242
548	SE-SK 0707/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 10-core cable, with MIL5015 Plug (F) to Free End	006/191243
549	SE-SK 0707/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 10-core cable, with MIL5015 Plug (F) to Free End	006/191244
550	SE-SK 0707/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 10-core cable, with MIL5015 Plug (F) to Free End	006/191245
551	SE-SK 0708/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 10-core cable, with Free End to MIL5015 Plug (M)	006/191046
552	SE-SK 0708/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 10-core cable, with Free End to MIL5015 Plug (M)	006/191047
553	SE-SK 0708/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 10-core cable, with Free End to MIL5015 Plug (M)	006/191048
554	SE-SK 0708/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 10-core cable, with Free End to MIL5015 Plug (M)	006/191049
555	SE-SK 0708/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 10-core cable, with Free End to MIL5015 Plug (M)	006/191050
556	SE-SK 0708/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 10-core cable, with Free End to MIL5015 Plug (M)	006/191246
557	SE-SK 0708/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 10-core cable, with Free End to MIL5015 Plug (M)	006/191247
558	SE-SK 0708/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 10-core cable, with Free End to MIL5015 Plug (M)	006/191248
559	SE-SK 0708/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 10-core cable, with Free End to MIL5015 Plug (M)	006/191249

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
560	SE-SK 0708/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 10-core cable, with Free End to MIL5015 Plug (M)	006/191250
561	SE-SK 0710/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) to Free End	006/191051
562	SE-SK 0710/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) to Free End	006/191052
563	SE-SK 0710/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) to Free End	006/191053
564	SE-SK 0710/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) to Free End	006/191054
565	SE-SK 0710/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) to Free End	006/191055
566	SE-SK 0710/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) to Free End	006/191251
567	SE-SK 0710/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) to Free End	006/191252
568	SE-SK 0710/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) to Free End	006/191253
569	SE-SK 0710/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) to Free End	006/191254
570	SE-SK 0710/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 10-core cable, with MIL5015 Receptacle (F) to Free End	006/191255
571	SE-SK 0841/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188081
572	SE-SK 0841/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188082
573	SE-SK 0841/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188083
574	SE-SK 0841/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188084
575	SE-SK 0841/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188085
576	SE-SK 0841/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190581
577	SE-SK 0841/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190582
578	SE-SK 0841/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190583
579	SE-SK 0841/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190584
580	SE-SK 0841/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190585
581	SE-SK 0843/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188091
582	SE-SK 0843/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188092
583	SE-SK 0843/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188093

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
584	SE-SK 0843/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188094
585	SE-SK 0843/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188095
586	SE-SK 0843/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190591
587	SE-SK 0843/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190592
588	SE-SK 0843/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190593
589	SE-SK 0843/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190594
590	SE-SK 0843/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190595
591	SE-SK 0845/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189081
592	SE-SK 0845/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189082
593	SE-SK 0845/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189083
594	SE-SK 0845/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189084
595	SE-SK 0845/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189085
596	SE-SK 0845/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191581
597	SE-SK 0845/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191582
598	SE-SK 0845/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191583
599	SE-SK 0845/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191584
600	SE-SK 0845/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191585
601	SE-SK 0846/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189086
602	SE-SK 0846/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189087
603	SE-SK 0846/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189088
604	SE-SK 0846/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189089
605	SE-SK 0846/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189090
606	SE-SK 0846/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191586
607	SE-SK 0846/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191587

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
608	SE-SK 0846/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191588
609	SE-SK 0846/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191589
610	SE-SK 0846/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191590
611	SE-SK 0848/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189091
612	SE-SK 0848/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189092
613	SE-SK 0848/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189093
614	SE-SK 0848/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189094
615	SE-SK 0848/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189095
616	SE-SK 0848/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191591
617	SE-SK 0848/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191592
618	SE-SK 0848/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191593
619	SE-SK 0848/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191594
620	SE-SK 0848/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191595
621	SE-SK 0661/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188401
622	SE-SK 0661/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188402
623	SE-SK 0661/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188403
624	SE-SK 0661/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188404
625	SE-SK 0661/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188405
626	SE-SK 0661/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188801
627	SE-SK 0661/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188802
628	SE-SK 0661/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188803
629	SE-SK 0661/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188804
630	SE-SK 0661/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188805
631	SE-SK 0663/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188411

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
632	SE-SK 0663/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188412
633	SE-SK 0663/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188413
634	SE-SK 0663/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188414
635	SE-SK 0663/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188415
636	SE-SK 0663/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188811
637	SE-SK 0663/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188812
638	SE-SK 0663/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188813
639	SE-SK 0663/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188814
640	SE-SK 0663/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188815
641	SE-SK 0665/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189401
642	SE-SK 0665/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189402
643	SE-SK 0665/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189403
644	SE-SK 0665/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189400
645	SE-SK 0665/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189405
646	SE-SK 0665/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189781
647	SE-SK 0665/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189782
648	SE-SK 0665/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189783
649	SE-SK 0665/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189784
650	SE-SK 0665/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189785
651	SE-SK 0666/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189464
652	SE-SK 0666/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189406
653	SE-SK 0666/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189407
654	SE-SK 0666/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189408
655	SE-SK 0666/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189410

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
656	SE-SK 0666/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189786
657	SE-SK 0666/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189787
658	SE-SK 0666/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189788
659	SE-SK 0666/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189789
660	SE-SK 0666/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189790
661	SE-SK 0668/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189411
662	SE-SK 0668/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189412
663	SE-SK 0668/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189413
664	SE-SK 0668/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189414
665	SE-SK 0668/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189415
666	SE-SK 0668/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189791
667	SE-SK 0668/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189792
668	SE-SK 0668/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189793
669	SE-SK 0668/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189794
670	SE-SK 0668/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189795
671	SE-SK 0712/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190061
672	SE-SK 0712/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190062
673	SE-SK 0712/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190063
674	SE-SK 0712/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190064
675	SE-SK 0712/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190065
676	SE-SK 0712/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190261
677	SE-SK 0712/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190262
678	SE-SK 0712/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190263
679	SE-SK 0712/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190264

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
680	SE-SK 0712/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190265
681	SE-SK 0714/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190071
682	SE-SK 0714/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190072
683	SE-SK 0714/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190073
684	SE-SK 0714/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190074
685	SE-SK 0714/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190075
686	SE-SK 0714/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190271
687	SE-SK 0714/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190272
688	SE-SK 0714/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190273
689	SE-SK 0714/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190274
690	SE-SK 0714/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190275
691	SE-SK 0716/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 12-core cable, with MIL5015 Plug (F) to Free End	006/191061
692	SE-SK 0716/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 12-core cable, with MIL5015 Plug (F) to Free End	006/191062
693	SE-SK 0716/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 12-core cable, with MIL5015 Plug (F) to Free End	006/191063
694	SE-SK 0716/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 12-core cable, with MIL5015 Plug (F) to Free End	006/191064
695	SE-SK 0716/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 12-core cable, with MIL5015 Plug (F) to Free End	006/191065
696	SE-SK 0716/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 12-core cable, with MIL5015 Plug (F) to Free End	006/191261
697	SE-SK 0716/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 12-core cable, with MIL5015 Plug (F) to Free End	006/191262
698	SE-SK 0716/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 12-core cable, with MIL5015 Plug (F) to Free End	006/191263
699	SE-SK 0716/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 12-core cable, with MIL5015 Plug (F) to Free End	006/191264
700	SE-SK 0716/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 12-core cable, with MIL5015 Plug (F) to Free End	006/191265
701	SE-SK 0717/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 12-core cable, with Free End to MIL5015 Plug (M)	006/191066
702	SE-SK 0717/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 12-core cable, with Free End to MIL5015 Plug (M)	006/191067
703	SE-SK 0717/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 12-core cable, with Free End to MIL5015 Plug (M)	006/191068

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
704	SE-SK 0717/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 12-core cable, with Free End to MIL5015 Plug (M)	006/191069
705	SE-SK 0717/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 12-core cable, with Free End to MIL5015 Plug (M)	006/191070
706	SE-SK 0717/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 12-core cable, with Free End to MIL5015 Plug (M)	006/191266
707	SE-SK 0717/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 12-core cable, with Free End to MIL5015 Plug (M)	006/191267
708	SE-SK 0717/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 12-core cable, with Free End to MIL5015 Plug (M)	006/191268
709	SE-SK 0717/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 12-core cable, with Free End to MIL5015 Plug (M)	006/191269
710	SE-SK 0717/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 12-core cable, with Free End to MIL5015 Plug (M)	006/191270
711	SE-SK 0719/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) to Free End	006/191071
712	SE-SK 0719/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) to Free End	006/191072
713	SE-SK 0719/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) to Free End	006/191073
714	SE-SK 0719/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) to Free End	006/191074
715	SE-SK 0719/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) to Free End	006/191075
716	SE-SK 0719/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) to Free End	006/191271
717	SE-SK 0719/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) to Free End	006/191272
718	SE-SK 0719/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) to Free End	006/191273
719	SE-SK 0719/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) to Free End	006/191274
720	SE-SK 0719/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 12-core cable, with MIL5015 Receptacle (F) to Free End	006/191275
721	SE-SK 0669/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188421
722	SE-SK 0669/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188422
723	SE-SK 0669/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188423
724	SE-SK 0669/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188424
725	SE-SK 0669/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188425
726	SE-SK 0671/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188431
727	SE-SK 0671/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188432

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
728	SE-SK 0671/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188433
729	SE-SK 0671/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188434
730	SE-SK 0671/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188435
731	SE-SK 0673/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189421
732	SE-SK 0673/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189422
733	SE-SK 0673/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189423
734	SE-SK 0673/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189424
735	SE-SK 0673/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189425
736	SE-SK 0674/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189426
737	SE-SK 0674/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189427
738	SE-SK 0674/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189428
739	SE-SK 0674/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189429
740	SE-SK 0674/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189430
741	SE-SK 0676/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189431
742	SE-SK 0676/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189432
743	SE-SK 0676/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189433
744	SE-SK 0676/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189434
745	SE-SK 0676/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189435
746	SE-SK 0464/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188121
747	SE-SK 0464/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188122
748	SE-SK 0464/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188123
749	SE-SK 0464/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188124
750	SE-SK 0464/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188125
751	SE-SK 0464/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190621

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
752	SE-SK 0464/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190622
753	SE-SK 0464/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190623
754	SE-SK 0464/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190624
755	SE-SK 0464/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190625
756	SE-SK 0466/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188131
757	SE-SK 0466/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188132
758	SE-SK 0466/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188133
759	SE-SK 0466/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188134
760	SE-SK 0466/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188135
761	SE-SK 0466/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190631
762	SE-SK 0466/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190632
763	SE-SK 0466/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190633
764	SE-SK 0466/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190634
765	SE-SK 0466/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190635
766	SE-SK 0468/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189121
767	SE-SK 0468/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189122
768	SE-SK 0468/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189123
769	SE-SK 0468/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189124
770	SE-SK 0468/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189125
771	SE-SK 0468/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191621
772	SE-SK 0468/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191622
773	SE-SK 0468/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191623
774	SE-SK 0468/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191624
775	SE-SK 0468/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191625

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
776	SE-SK 0469/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189126
777	SE-SK 0469/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189127
778	SE-SK 0469/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189128
779	SE-SK 0469/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189129
780	SE-SK 0469/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189130
781	SE-SK 0469/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191626
782	SE-SK 0469/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191627
783	SE-SK 0469/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191628
784	SE-SK 0469/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191629
785	SE-SK 0469/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191630
786	SE-SK 0471/01	NR P&P, Lead, 2m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189131
787	SE-SK 0471/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189132
788	SE-SK 0471/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189133
789	SE-SK 0471/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189134
790	SE-SK 0471/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189135
791	SE-SK 0471/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191631
792	SE-SK 0471/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191632
793	SE-SK 0471/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191633
794	SE-SK 0471/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191634
795	SE-SK 0471/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191635
796	SE-SK 0730/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190101
797	SE-SK 0730/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190102
798	SE-SK 0730/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190103
799	SE-SK 0730/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190104

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
800	SE-SK 0730/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190105
801	SE-SK 0730/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190301
802	SE-SK 0730/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190302
803	SE-SK 0730/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190303
804	SE-SK 0730/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190304
805	SE-SK 0730/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190305
806	SE-SK 0732/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190111
807	SE-SK 0732/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190112
808	SE-SK 0732/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190113
809	SE-SK 0732/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190114
810	SE-SK 0732/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190115
811	SE-SK 0732/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190311
812	SE-SK 0732/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190312
813	SE-SK 0732/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190313
814	SE-SK 0732/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190314
815	SE-SK 0732/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190315
816	SE-SK 0734/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 19-core cable, with MIL5015 Plug (F) to Free End	006/191101
817	SE-SK 0734/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 19-core cable, with MIL5015 Plug (F) to Free End	006/191102
818	SE-SK 0734/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 19-core cable, with MIL5015 Plug (F) to Free End	006/191103
819	SE-SK 0734/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 19-core cable, with MIL5015 Plug (F) to Free End	006/191104
820	SE-SK 0734/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 19-core cable, with MIL5015 Plug (F) to Free End	006/191105
821	SE-SK 0734/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 19-core cable, with MIL5015 Plug (F) to Free End	006/191301
822	SE-SK 0734/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 19-core cable, with MIL5015 Plug (F) to Free End	006/191302
823	SE-SK 0734/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 19-core cable, with MIL5015 Plug (F) to Free End	006/191303

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
824	SE-SK 0734/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 19-core cable, with MIL5015 Plug (F) to Free End	006/191304
825	SE-SK 0734/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 19-core cable, with MIL5015 Plug (F) to Free End	006/191305
826	SE-SK 0735/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 19-core cable, with Free End to MIL5015 Plug (M)	006/191106
827	SE-SK 0735/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 19-core cable, with Free End to MIL5015 Plug (M)	006/191107
828	SE-SK 0735/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 19-core cable, with Free End to MIL5015 Plug (M)	006/191108
829	SE-SK 0735/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 19-core cable, with Free End to MIL5015 Plug (M)	006/191109
830	SE-SK 0735/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 19-core cable, with Free End to MIL5015 Plug (M)	006/191110
831	SE-SK 0735/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 19-core cable, with Free End to MIL5015 Plug (M)	006/191306
832	SE-SK 0735/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 19-core cable, with Free End to MIL5015 Plug (M)	006/191307
833	SE-SK 0735/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 19-core cable, with Free End to MIL5015 Plug (M)	006/191308
834	SE-SK 0735/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 19-core cable, with Free End to MIL5015 Plug (M)	006/191309
835	SE-SK 0735/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 19-core cable, with Free End to MIL5015 Plug (M)	006/191310
836	SE-SK 0737/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) to Free End	006/191111
837	SE-SK 0737/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) to Free End	006/191112
838	SE-SK 0737/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) to Free End	006/191113
839	SE-SK 0737/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) to Free End	006/191114
840	SE-SK 0737/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) to Free End	006/191115
841	SE-SK 0737/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) to Free End	006/191311
842	SE-SK 0737/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) to Free End	006/191312
843	SE-SK 0737/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) to Free End	006/191313
844	SE-SK 0737/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) to Free End	006/191314
845	SE-SK 0737/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 19-core cable, with MIL5015 Receptacle (F) to Free End	006/191315
846	SE-SK 0472/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188181
847	SE-SK 0472/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188182

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
848	SE-SK 0472/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188183
849	SE-SK 0472/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188184
850	SE-SK 0472/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188185
851	SE-SK 0472/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188501
852	SE-SK 0472/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188502
853	SE-SK 0472/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188503
854	SE-SK 0472/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188504
855	SE-SK 0472/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188505
856	SE-SK 0474/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188191
857	SE-SK 0474/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188192
858	SE-SK 0474/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188193
859	SE-SK 0474/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188194
860	SE-SK 0474/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188195
861	SE-SK 0474/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188511
862	SE-SK 0474/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188512
863	SE-SK 0474/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188513
864	SE-SK 0474/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188514
865	SE-SK 0474/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188515
866	SE-SK 0476/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189181
867	SE-SK 0476/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189182
868	SE-SK 0476/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189183
869	SE-SK 0476/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189184
870	SE-SK 0476/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189185
871	SE-SK 0476/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189501

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
872	SE-SK 0476/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189502
873	SE-SK 0476/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189503
874	SE-SK 0476/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189504
875	SE-SK 0476/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189505
876	SE-SK 0477/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189186
877	SE-SK 0477/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189187
878	SE-SK 0477/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189188
879	SE-SK 0477/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189189
880	SE-SK 0477/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189190
881	SE-SK 0477/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189506
882	SE-SK 0477/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189507
883	SE-SK 0477/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189508
884	SE-SK 0477/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189509
885	SE-SK 0477/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189510
886	SE-SK 0479/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189191
887	SE-SK 0479/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189192
888	SE-SK 0479/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189193
889	SE-SK 0479/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189194
890	SE-SK 0479/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189195
891	SE-SK 0479/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189511
892	SE-SK 0479/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189512
893	SE-SK 0479/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189513
894	SE-SK 0479/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189514
895	SE-SK 0479/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189515

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
896	SE-SK 0739/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190121
897	SE-SK 0739/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190122
898	SE-SK 0739/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190123
899	SE-SK 0739/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190124
900	SE-SK 0739/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190125
901	SE-SK 0739/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190321
902	SE-SK 0739/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190322
903	SE-SK 0739/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190323
904	SE-SK 0739/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190324
905	SE-SK 0739/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190325
906	SE-SK 0741/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190131
907	SE-SK 0741/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190132
908	SE-SK 0741/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190133
909	SE-SK 0741/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190134
910	SE-SK 0741/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190135
911	SE-SK 0741/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190331
912	SE-SK 0741/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190332
913	SE-SK 0741/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190333
914	SE-SK 0741/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190334
915	SE -SK 0741/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190335
916	SE-SK 0743/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 27-core cable, with MIL5015 Plug (F) to Free End	006/191121
917	SE-SK 0743/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 27-core cable, with MIL5015 Plug (F) to Free End	006/191122
918	SE-SK 0743/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 27-core cable, with MIL5015 Plug (F) to Free End	006/191123
919	SE-SK 0743/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 27-core cable, with MIL5015 Plug (F) to Free End	006/191124

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
920	SE-SK 0743/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 27-core cable, with MIL5015 Plug (F) to Free End	006/191125
921	SE-SK 0743/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 27-core cable, with MIL5015 Plug (F) to Free End	006/191321
922	SE-SK 0743/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 27-core cable, with MIL5015 Plug (F) to Free End	006/191322
923	SE-SK 0743/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 27-core cable, with MIL5015 Plug (F) to Free End	006/191323
924	SE-SK 0743/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 27-core cable, with MIL5015 Plug (F) to Free End	006/191324
925	SE-SK 0743/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 27-core cable, with MIL5015 Plug (F) to Free End	006/191325
926	SE-SK 0744/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 27-core cable, with Free End to MIL5015 Plug (M)	006/191126
927	SE-SK 0744/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 27-core cable, with Free End to MIL5015 Plug (M)	006/191127
928	SE-SK 0744/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 27-core cable, with Free End to MIL5015 Plug (M)	006/191128
929	SE-SK 0744/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 27-core cable, with Free End to MIL5015 Plug (M)	006/191129
930	SE-SK 0744/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 27-core cable, with Free End to MIL5015 Plug (M)	006/191130
931	SE-SK 0744/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 27-core cable, with Free End to MIL5015 Plug (M)	006/191326
932	SE-SK 0744/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 27-core cable, with Free End to MIL5015 Plug (M)	006/191327
933	SE-SK 0744/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 27-core cable, with Free End to MIL5015 Plug (M)	006/191328
934	SE-SK 0744/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 27-core cable, with Free End to MIL5015 Plug (M)	006/191329
935	SE-SK 0744/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 27-core cable, with Free End to MIL5015 Plug (M)	006/191330
936	SE-SK 0746/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) to Free End	006/191131
937	SE-SK 0746/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) to Free End	006/191132
938	SE-SK 0746/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) to Free End	006/191133
939	SE-SK 0746/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) to Free End	006/191134
940	SE-SK 0746/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) to Free End	006/191135
941	SE-SK 0746/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) to Free End	006/191331
942	SE-SK 0746/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) to Free End	006/191332
943	SE-SK 0746/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) to Free End	006/191333

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
944	SE-SK 0746/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) to Free End	006/191334
945	SE-SK 0746/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 27-core cable, with MIL5015 Receptacle (F) to Free End	006/191335
946	SE-SK 0480/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188201
947	SE-SK 0480/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188202
948	SE-SK 0480/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188203
949	SE-SK 0480/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188204
950	SE-SK 0480/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188205
951	SE-SK 0480/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188521
952	SE-SK 0480/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188522
953	SE-SK 0480/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188523
954	SE-SK 0480/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188524
955	SE-SK 0480/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188525
956	SE-SK 0482/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188211
957	SE-SK 0482/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188212
958	SE-SK 0482/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188213
959	SE-SK 0482/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188214
960	SE-SK 0482/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188215
961	SE-SK 0482/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188531
962	SE-SK 0482/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188532
963	SE-SK 0482/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188533
964	SE-SK 0482/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188534
965	SE-SK 0482/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188535
966	SE-SK 0484/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189201
967	SE-SK 0484/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189202

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
968	SE-SK 0484/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189203
969	SE-SK 0484/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189204
970	SE-SK 0484/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189205
971	SE-SK 0484/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189521
972	SE-SK 0484/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189522
973	SE-SK 0484/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189523
974	SE-SK 0484/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189524
975	SE-SK 0484/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189525
976	SE-SK 0485/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189206
977	SE-SK 0485/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189207
978	SE-SK 0485/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189208
979	SE-SK 0485/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189209
980	SE-SK 0485/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189210
981	SE-SK 0485/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189526
982	SE-SK 0485/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189527
983	SE-SK 0485/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189528
984	SE-SK 0485/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189529
985	SE-SK 0485/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189530
986	SE-SK 0487/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189211
987	SE-SK 0487/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189212
988	SE-SK 0487/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189213
989	SE-SK 0487/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189214
990	SE-SK 0487/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189215
991	SE-SK 0487/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189531

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
992	SE-SK 0487/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189532
993	SE-SK 0487/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189533
994	SE-SK 0487/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189534
995	SE-SK 0487/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189535
996	SE-SK 0748/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190141
997	SE-SK 0748/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190142
998	SE-SK 0748/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190143
999	SE-SK 0748/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190144
1000	SE-SK 0748/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190145
1001	SE-SK 0748/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190341
1002	SE-SK 0748/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190342
1003	SE-SK 0748/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190343
1004	SE-SK 0748/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190344
1005	SE-SK 0748/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190345
1006	SE-SK 0750/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190151
1007	SE-SK 0750/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190152
1008	SE-SK 0750/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190153
1009	SE-SK 0750/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190154
1010	SE-SK 0750/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190155
1011	SE-SK 0750/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190351
1012	SE-SK 0750/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190352
1013	SE-SK 0750/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190353
1014	SE-SK 0750/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190354
1015	SE-SK 0750/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190355

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
1016	SE-SK 0752/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 37-core cable, with MIL5015 Plug (F) to Free End	006/191141
1017	SE-SK 0752/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 37-core cable, with MIL5015 Plug (F) to Free End	006/191142
1018	SE-SK 0752/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 37-core cable, with MIL5015 Plug (F) to Free End	006/191143
1019	SE-SK 0752/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 37-core cable, with MIL5015 Plug (F) to Free End	006/191144
1020	SE-SK 0752/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 37-core cable, with MIL5015 Plug (F) to Free End	006/191145
1021	SE-SK 0752/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 37-core cable, with MIL5015 Plug (F) to Free End	006/191341
1022	SE-SK 0752/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 37-core cable, with MIL5015 Plug (F) to Free End	006/191342
1023	SE-SK 0752/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 37-core cable, with MIL5015 Plug (F) to Free End	006/191343
1024	SE-SK 0752/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 37-core cable, with MIL5015 Plug (F) to Free End	006/191344
1025	SE-SK 0752/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 37-core cable, with MIL5015 Plug (F) to Free End	006/191345
1026	SE-SK 0753/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 37-core cable, with Free End to MIL5015 Plug (M)	006/191146
1027	SE-SK 0753/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 37-core cable, with Free End to MIL5015 Plug (M)	006/191147
1028	SE-SK 0753/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 37-core cable, with Free End to MIL5015 Plug (M)	006/191148
1029	SE-SK 0753/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 37-core cable, with Free End to MIL5015 Plug (M)	006/191149
1030	SE-SK 0753/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 37-core cable, with Free End to MIL5015 Plug (M)	006/191150
1031	SE-SK 0753/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 37-core cable, with Free End to MIL5015 Plug (M)	006/191346
1032	SE-SK 0753/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 37-core cable, with Free End to MIL5015 Plug (M)	006/191347
1033	SE-SK 0753/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 37-core cable, with Free End to MIL5015 Plug (M)	006/191348
1034	SE-SK 0753/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 37-core cable, with Free End to MIL5015 Plug (M)	006/191349
1035	SE-SK 0753/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 37-core cable, with Free End to MIL5015 Plug (M)	006/191350
1036	SE-SK 0755/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) to Free End	006/191151
1037	SE-SK 0755/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) to Free End	006/191152
1038	SE-SK 0755/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) to Free End	006/191153
1039	SE-SK 0755/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) to Free End	006/191154

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
1040	SE-SK 0755/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) to Free End	006/191155
1041	SE-SK 0755/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) to Free End	006/191351
1042	SE-SK 0755/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) to Free End	006/191352
1043	SE-SK 0755/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) to Free End	006/191353
1044	SE-SK 0755/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) to Free End	006/191354
1045	SE-SK 0755/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 37-core cable, with MIL5015 Receptacle (F) to Free End	006/191355
1046	SE-SK 0488/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188221
1047	SE-SK 0488/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188222
1048	SE-SK 0488/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188223
1049	SE-SK 0488/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188224
1050	SE-SK 0488/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188225
1051	SE-SK 0488/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188541
1052	SE-SK 0488/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188542
1053	SE-SK 0488/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188543
1054	SE-SK 0488/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188544
1055	SE-SK 0488/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188545
1056	SE-SK 0490/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188231
1057	SE-SK 0490/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188232
1058	SE-SK 0490/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188233
1059	SE-SK 0490/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188234
1060	SE-SK 0490/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188235
1061	SE-SK 0490/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188551
1062	SE-SK 0490/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188552
1063	SE-SK 0490/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188553

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
1064	SE-SK 0490/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188554
1065	SE-SK 0490/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188555
1066	SE-SK 0492/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189221
1067	SE-SK 0492/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189222
1068	SE-SK 0492/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189223
1069	SE-SK 0492/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189224
1070	SE-SK 0492/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189225
1071	SE-SK 0492/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189541
1072	SE-SK 0492/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189542
1073	SE-SK 0492/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189543
1074	SE-SK 0492/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189544
1075	SE-SK 0492/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189545
1076	SE-SK 0493/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189226
1077	SE-SK 0493/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189227
1078	SE-SK 0493/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189228
1079	SE-SK 0493/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189229
1080	SE-SK 0493/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189230
1081	SE-SK 0493/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189546
1082	SE-SK 0493/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189547
1083	SE-SK 0493/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189548
1084	SE-SK 0493/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189549
1085	SE-SK 0493/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189550
1086	SE-SK 0495/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189231
1087	SE-SK 0495/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189232

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
1088	SE-SK 0495/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189233
1089	SE-SK 0495/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189234
1090	SE-SK 0495/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189235
1091	SE-SK 0495/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189551
1092	SE-SK 0495/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189552
1093	SE-SK 0495/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189553
1094	SE-SK 0495/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189554
1095	SE-SK 0495/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189555
1096	SE-SK 0757/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190161
1097	SE-SK 0757/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190162
1098	SE-SK 0757/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190163
1099	SE-SK 0757/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190164
1100	SE-SK 0757/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190165
1101	SE-SK 0757/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190361
1102	SE-SK 0757/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190362
1103	SE-SK 0757/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190363
1104	SE-SK 0757/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190364
1105	SE-SK 0757/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190365
1106	SE-SK 0759/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190171
1107	SE-SK 0759/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190172
1108	SE-SK 0759/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190173
1109	SE-SK 0759/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190174
1110	SE-SK 0759/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190175
1111	SE-SK 0759/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190371

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
1112	SE-SK 0759/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190372
1113	SE-SK 0759/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190373
1114	SE-SK 0759/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190374
1115	SE-SK 0759/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190375
1116	SE-SK 0761/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 48-core cable, with MIL5015 Plug (F) to Free End	006/191161
1117	SE-SK 0761/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 48-core cable, with MIL5015 Plug (F) to Free End	006/191162
1118	SE-SK 0761/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 48-core cable, with MIL5015 Plug (F) to Free End	006/191163
1119	SE-SK 0761/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 48-core cable, with MIL5015 Plug (F) to Free End	006/191164
1120	SE-SK 0761/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 48-core cable, with MIL5015 Plug (F) to Free End	006/191165
1121	SE-SK 0761/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 48-core cable, with MIL5015 Plug (F) to Free End	006/191166
1122	SE-SK 0761/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 48-core cable, with MIL5015 Plug (F) to Free End	006/191167
1123	SE-SK 0761/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 48-core cable, with MIL5015 Plug (F) to Free End	006/191168
1124	SE-SK 0761/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 48-core cable, with MIL5015 Plug (F) to Free End	006/191169
1125	SE-SK 0761/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 48-core cable, with MIL5015 Plug (F) to Free End	006/191170
1126	SE-SK 0762/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 48-core cable, with Free End to MIL5015 Plug (M)	006/191166
1127	SE-SK 0762/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 48-core cable, with Free End to MIL5015 Plug (M)	006/191167
1128	SE-SK 0762/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 48-core cable, with Free End to MIL5015 Plug (M)	006/191168
1129	SE-SK 0762/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 48-core cable, with Free End to MIL5015 Plug (M)	006/191169
1130	SE-SK 0762/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 48-core cable, with Free End to MIL5015 Plug (M)	006/191170
1131	SE-SK 0762/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 48-core cable, with Free End to MIL5015 Plug (M)	006/191366
1132	SE-SK 0762/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 48-core cable, with Free End to MIL5015 Plug (M)	006/191367
1133	SE-SK 0762/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 48-core cable, with Free End to MIL5015 Plug (M)	006/191368
1134	SE-SK 0762/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 48-core cable, with Free End to MIL5015 Plug (M)	006/191369
1135	SE-SK 0762/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 48-core cable, with Free End to MIL5015 Plug (M)	006/191370

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 1 Description	Catalogue No.
1136	SE-SK 0764/01 Rev A or later	NR P&P, Lead, 2m long, B2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) to Free End	006/191171
1137	SE-SK 0764/02 Rev A or later	NR P&P, Lead, 4m long, B2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) to Free End	006/191172
1138	SE-SK 0764/03 Rev A or later	NR P&P, Lead, 8m long, B2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) to Free End	006/191173
1139	SE-SK 0764/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) to Free End	006/191174
1140	SE-SK 0764/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) to Free End	006/191175
1141	SE-SK 0764/11 Rev A or later	NR P&P, Lead, 2m long, D2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) to Free End	006/191371
1142	SE-SK 0764/12 Rev A or later	NR P&P, Lead, 4m long, D2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) to Free End	006/191372
1143	SE-SK 0764/13 Rev A or later	NR P&P, Lead, 8m long, D2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) to Free End	006/191373
1144	SE-SK 0764/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) to Free End	006/191374
1145	SE-SK 0764/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 0.75sqmm 48-core cable, with MIL5015 Receptacle (F) to Free End	006/191375

**Table 2 Interconnects and Leads
Plug & Play Guidance Note 7 Appendix D1 – MCB-OD**

Ref	Network Rail Part No.	TABLE 2 Description	Catalogue No.
1	SE-SK 0789/01 Rev A or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/191701
2	SE-SK 0789/02 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/191702
3	SE-SK 0789/03 Rev A or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/191703
4	SE-SK 0789/04 Rev A or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/191704
5	SE-SK 0789/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/191705
6	SE-SK 0790/01 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/191706
7	SE-SK 0790/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/191707
8	SE-SK 0790/03 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/191708
9	SE-SK 0790/04 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/191709
10	SE-SK 0790/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/191710

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 2 Description	Catalogue No.
11	SE-SK 0791/01 Rev A or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/191711
12	SE-SK 0791/02 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/191712
13	SE-SK 0791/03 Rev A or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/191713
14	SE-SK 0791/04 Rev A or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/191714
15	SE-SK 0791/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/191715
16	SE-SK 0793/01 Rev A or later	NR P&P, Lead, 2m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and Free End	006/191801
17	SE-SK 0793/02 Rev A or later	NR P&P, Lead, 4m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and Free End	006/191802
18	SE-SK 0793/03 Rev A or later	NR P&P, Lead, 8m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and Free End	006/191803
19	SE-SK 0793/04 Rev A or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and Free End	006/191804
20	SE-SK 0793/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and Free End	006/191805
21	SE-SK 0794/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Plug (M)	006/191806
22	SE-SK 0794/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Plug (M)	006/191807
23	SE-SK 0794/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Plug (M)	006/191808
24	SE-SK 0794/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Plug (M)	006/191809
25	SE-SK 0794/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Plug (M)	006/191810
26	SE-SK 0795/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Receptacle (M)	006/191811
27	SE-SK 0795/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Receptacle (M)	006/191812
28	SE-SK 0795/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Receptacle (M)	006/191813
29	SE-SK 0795/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Receptacle (M)	006/191814
30	SE-SK 0795/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Receptacle (M)	006/191815
31	SE-SK 0796/01 Rev A or later	NR P&P, Lead, 2m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Receptacle (F) and Free End	006/191816
32	SE-SK 0796/02 Rev A or later	NR P&P, Lead, 4m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Receptacle (F) and Free End	006/191817
33	SE-SK 0796/03 Rev A or later	NR P&P, Lead, 8m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Receptacle (F) and Free End	006/191818

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 2 Description	Catalogue No.
34	SE-SK 0796/04 Rev A or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Receptacle (F) and Free End	006/191819
35	SE-SK 0796/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Receptacle (F) and Free End	006/191820

**Table 3 Interconnects and Leads
Plug & Play Guidance Note 7 Appendix E1, E2 & E3 – Signals & Indicators**

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.
1	SE-SK 0929/06 Rev A or later	NR P&P, Interconnect, 6m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190401
2	SE-SK 0929/10 Rev A or later	NR P&P, Interconnect, 10m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190402
3	SE-SK 0929/20 Rev A or later	NR P&P, Interconnect, 20m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190403
4	SE-SK 0929/36 Rev A or later	NR P&P, Interconnect, 6m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190404
5	SE-SK 0929/40 Rev A or later	NR P&P, Interconnect, 10m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190405
6	SE-SK 0929/50 Rev A or later	NR P&P, Interconnect, 20m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190406
7	SE-SK 0930/06 Rev A or later	NR P&P, Interconnect, 6m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190407
8	SE-SK 0930/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190408
9	SE-SK 0930/20 Rev A or later	NR P&P, Interconnect, 20m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190409
10	SE-SK 0930/36 Rev A or later	NR P&P, Interconnect, 6m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190410
11	SE-SK 0930/40 Rev A or later	NR P&P, Interconnect, 10m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190411
12	SE-SK 0930/50 Rev A or later	NR P&P, Interconnect, 20m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190412
13	SE-SK 0932/06 Rev A or later	NR P&P, Interconnect, 6m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190651
14	SE-SK 0932/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190652
15	SE-SK 0932/20 Rev A or later	NR P&P, Interconnect, 20m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190653
16	SE-SK 0932/25 Rev A or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190654
17	SE-SK 0932/26 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190655

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.
18	SE-SK 0932/36 Rev A or later	NR P&P, Interconnect, 6m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190656
19	SE-SK 0932/40 Rev A or later	NR P&P, Interconnect, 10m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190657
20	SE-SK 0932/50 Rev A or later	NR P&P, Interconnect, 20m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190658
21	SE-SK 0932/55 Rev A or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190659
22	SE-SK 0932/56 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190660
23	SE-SK 0933/01 Rev A or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191641
24	SE-SK 0933/02 Rev A or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191642
25	SE-SK 0933/03 Rev A or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191643
26	SE-SK 0933/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191644
27	SE-SK 0933/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191645
28	SE-SK 0933/11 Rev A or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191646
29	SE-SK 0933/12 Rev A or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191647
30	SE-SK 0933/13 Rev A or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191648
31	SE-SK 0933/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/191649
32	SE-SK 0933/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191650
33	SE-SK 0934/01 Rev A or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191651
34	SE-SK 0934/02 Rev A or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191652
35	SE-SK 0934/03 Rev A or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191653
36	SE-SK 0934/04 Rev A or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191654
37	SE-SK 0934/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191655
38	SE-SK 0934/11 Rev A or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191656
39	SE-SK 0934/12 Rev A or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191657

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.
40	SE-SK 0934/13 Rev A or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191658
41	SE-SK 0934/14 Rev A or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191659
42	SE-SK 0934/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191660
43	SE-SK 0936/06 Rev A or later	NR P&P, Interconnect, 6m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190413
44	SE-SK 0936/10 Rev A or later	NR P&P, Interconnect, 10m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190414
45	SE-SK 0936/20 Rev A or later	NR P&P, Interconnect, 20m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190415
46	SE-SK 0936/36 Rev A or later	NR P&P, Interconnect, 6m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190416
47	SE-SK 0936/40 Rev A or later	NR P&P, Interconnect, 10m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190417
48	SE-SK 0936/50 Rev A or later	NR P&P, Interconnect, 20m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190418
49	SE-SK 0937/06 Rev A or later	NR P&P, Interconnect, 6m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190419
50	SE-SK 0937/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190420
51	SE-SK 0937/20 Rev A or later	NR P&P, Interconnect, 20m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190421
52	SE-SK 0937/36 Rev A or later	NR P&P, Interconnect, 6m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190422
53	SE-SK 0937/40 Rev A or later	NR P&P, Interconnect, 10m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190423
54	SE-SK 0937/50 Rev A or later	NR P&P, Interconnect, 20m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/190424
55	SE-SK 0938/06 Rev A or later	NR P&P, Interconnect, 6m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190661
56	SE-SK 0938/10 Rev A or later	NR P&P, Interconnect, 10m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190662
57	SE-SK 0938/20 Rev A or later	NR P&P, Interconnect, 20m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190663
58	SE-SK 0938/25 Rev A or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190664
59	SE-SK 0938/26 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190665
60	SE-SK 0938/36 Rev A or later	NR P&P, Interconnect, 6m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190666
61	SE-SK 0938/40 Rev A or later	NR P&P, Interconnect, 10m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190667

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.
62	SE-SK 0938/50 Rev A or later	NR P&P, Interconnect, 20m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190668
63	SE-SK 0938/55 Rev A or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190669
64	SE-SK 0938/56 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190670
65	SE-SK 0939/06 Rev A or later	NR P&P, Interconnect, 6m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190671
66	SE-SK 0939/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190672
67	SE-SK 0939/20 Rev A or later	NR P&P, Interconnect, 20m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190673
68	SE-SK 0939/25 Rev A or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190674
69	SE-SK 0939/26 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190675
70	SE-SK 0939/36 Rev A or later	NR P&P, Interconnect, 6m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190676
71	SE-SK 0939/40 Rev A or later	NR P&P, Interconnect, 10m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190677
72	SE-SK 0939/50 Rev A or later	NR P&P, Interconnect, 20m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190678
73	SE-SK 0939/55 Rev A or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190679
74	SE-SK 0939/56 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190680
75	SE-SK 0942/01 Rev A or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191661
76	SE-SK 0942/02 Rev A or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191662
77	SE-SK 0942/03 Rev A or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191663
78	SE-SK 0942/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191664
79	SE-SK 0942/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191665
80	SE-SK 0942/11 Rev A or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191666
81	SE-SK 0942/12 Rev A or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191667
82	SE-SK 0942/13 Rev A or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191668
83	SE-SK 0942/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191669

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.
84	SE-SK 0942/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191670
85	SE-SK 0943/01 Rev A or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191671
86	SE-SK 0943/02 Rev A or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191672
87	SE-SK 0943/03 Rev A or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191673
88	SE-SK 0943/04 Rev A or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191674
89	SE-SK 0943/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191675
90	SE-SK 0943/11 Rev A or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191676
91	SE-SK 0943/12 Rev A or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191677
92	SE-SK 0943/13 Rev A or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191678
93	SE-SK 0943/14 Rev A or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191679
94	SE-SK 0943/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191680
95	SE-SK 0910/06 Rev A or later	NR P&P, Interconnect, 6m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190381
96	SE-SK 0910/10 Rev A or later	NR P&P, Interconnect, 10m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190382
97	SE-SK 0910/20 Rev A or later	NR P&P, Interconnect, 20m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190383
98	SE-SK 0910/25 Rev A or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190384
99	SE-SK 0910/26 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190385
100	SE-SK 0910/36 Rev A or later	NR P&P, Interconnect, 6m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190386
101	SE-SK 0910/40 Rev A or later	NR P&P, Interconnect, 10m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190387
102	SE-SK 0910/50 Rev A or later	NR P&P, Interconnect, 20m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190388
103	SE-SK 0910/55 Rev A or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190389
104	SE-SK 0910/56 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190390

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.
105	SE-SK 0911/06	NR P&P, Interconnect, 6m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190391
106	SE-SK 0911/10	NR P&P, Interconnect, 10m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190392
107	SE-SK 0911/20	NR P&P, Interconnect, 20m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190393
108	SE-SK 0911/25	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190394
109	SE-SK 0911/26	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190395
110	SE-SK 0911/36 Rev A or later	NR P&P, Interconnect, 6m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190396
111	SE-SK 0911/40 Rev A or later	NR P&P, Interconnect, 10m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190397
112	SE-SK 0911/50 Rev A or later	NR P&P, Interconnect, 20m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190398
113	SE-SK 0911/55 Rev A or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190399
114	SE-SK 0911/56 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190400
115	SE-SK 0912/01 Rev A or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189281
116	SE-SK 0912/02 Rev A or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189282
117	SE-SK 0912/03 Rev A or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189283
118	SE-SK 0912/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189284
119	SE-SK 0912/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189285
120	SE-SK 0912/1 Rev A or later 1	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189291
121	SE-SK 0912/12 Rev A or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189292
122	SE-SK 0912/13 Rev A or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189293
123	SE-SK 0912/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189294
124	SE-SK 0912/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189295
125	SE-SK 0913/01	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189286
126	SE-SK 0913/02	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189287

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.
127	SE-SK 0913/03	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189288
128	SE-SK 0913/04	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189289
129	SE-SK 0913/05	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189290
130	SE-SK 0913/11 Rev A or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189296
131	SE-SK 0913/12 Rev A or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189297
132	SE-SK 0913/13 Rev A or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189298
133	SE-SK 0913/14 Rev A or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189467
134	SE-SK 0913/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189468
135	SE-SK 0975/04 Rev A or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M) for HyDrive SO Detection	006/190425
136	SE-SK 0975/07 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M) for HyDrive SO Detection	006/190426
137	SE-SK 0975/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M) for HyDrive SO Detection	006/190427
138	SE-SK 0975/15 Rev A or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M) for HyDrive SO Detection	006/190428
139	SE-SK 0975/25 Rev A or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M) for HyDrive SO Detection	006/190429
140	SE-SK 0975/26 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M) for HyDrive SO Detection	006/190430
141	SE-SK 0976/07 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with 90 deg MIL5015 Plug (F) and MIL5015 Plug (M) for HyDrive SO Detection	006/190432
142	SE-SK 0976/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 7-core cable, with 90 deg MIL5015 Plug (F) and MIL5015 Plug (M) for HyDrive SO Detection	006/190433
143	SE-SK 0976/15 Rev A or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with 90 deg MIL5015 Plug (F) and MIL5015 Plug (M) for HyDrive SO Detection	006/190434
144	SE-SK 0976/25 Rev A or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with 90 deg MIL5015 Plug (F) and MIL5015 Plug (M) for HyDrive SO Detection	006/190435
145	SE-SK 0976/26 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with 90 deg MIL5015 Plug (F) and MIL5015 Plug (M) for HyDrive SO Detection	006/190436
146	SE-SK 0908/06 Rev A or later	NR P&P, Interconnect, 6m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188282
147	SE-SK 0908/10 Rev A or later	NR P&P, Interconnect, 10m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188283
148	SE-SK 0908/20 Rev A or later	NR P&P, Interconnect, 20m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188284

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.
149	SE-SK 0908/36 Rev A or later	NR P&P, Interconnect, 6m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188285
150	SE-SK 0908/40 Rev A or later	NR P&P, Interconnect, 10m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188286
151	SE-SK 0908/50 Rev A or later	NR P&P, Interconnect, 20m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188287
152	SE-SK 0909/06 Rev A or later	NR P&P, Interconnect, 6m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188288
153	SE-SK 0909/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188289
154	SE-SK 0909/20 Rev A or later	NR P&P, Interconnect, 20m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188290
155	SE-SK 0909/36 Rev A or later	NR P&P, Interconnect, 6m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188291
156	SE-SK 0909/40 Rev A or later	NR P&P, Interconnect, 10m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188292
157	SE-SK 0909/50 Rev A or later	NR P&P, Interconnect, 20m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188293

**Table 4 Interconnects and Leads
Plug & Play Guidance Note 7
Appendix F1 – Train Protection & Warning Systems**

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.
1	SE-SK 0349/01 Rev B or later	NR P&P, Interconnect, 4m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188601
2	SE-SK 0349/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188602
3	SE-SK 0349/03 Rev B or later	NR P&P, Interconnect, 15m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188603
4	SE-SK 0349/04 Rev B or later	NR P&P, Interconnect, 25m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188604
5	SE-SK 0349/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188605
6	SE-SK 0349/11 Rev B or later	NR P&P, Interconnect, 4m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188971
7	SE-SK 0349/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188972
8	SE-SK 0349/13 Rev B or later	NR P&P, Interconnect, 15m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188973
9	SE-SK 0349/14 Rev B or later	NR P&P, Interconnect, 25m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188974
10	SE-SK 0349/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188975

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.
11	SE-SK 0350/01 Rev B or later	NR P&P, Interconnect, 4m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188606
12	SE-SK 0350/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188607
13	SE-SK 0350/03 Rev B or later	NR P&P, Interconnect, 15m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188608
14	SE-SK 0350/04 Rev B or later	NR P&P, Interconnect, 25m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188609
15	SE-SK 0350/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188610
16	SE-SK 0350/11 Rev B or later	NR P&P, Interconnect, 4m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188976
17	SE-SK 0350/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188977
18	SE-SK 0350/13 Rev B or later	NR P&P, Interconnect, 15m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188978
19	SE-SK 0350/14 Rev B or later	NR P&P, Interconnect, 25m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188979
20	SE-SK 0350/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188980
21	SE-SK 0351/01 Rev B or later	NR P&P, Interconnect, 4m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188611
22	SE-SK 0351/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188612
23	SE-SK 0351/03 Rev B or later	NR P&P, Interconnect, 15m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188613
24	SE-SK 0351/04 Rev B or later	NR P&P, Interconnect, 25m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188614
25	SE-SK 0351/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188615
26	SE-SK 0351/11 Rev B or later	NR P&P, Interconnect, 4m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188981
27	SE-SK 0351/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188982
28	SE-SK 0351/13 Rev B or later	NR P&P, Interconnect, 15m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188983
29	SE-SK 0351/14 Rev B or later	NR P&P, Interconnect, 25m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188984
30	SE-SK 0351/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188985
31	SE-SK 0353/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189602
32	SE-SK 0353/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189601
33	SE-SK 0353/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189603

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.
34	SE-SK 0353/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189604
35	SE-SK 0353/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189605
36	SE-SK 0353/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189971
37	SE-SK 0353/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189972
38	SE-SK 0353/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189973
39	SE-SK 0353/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189974
40	SE-SK 0353/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189975
41	SE-SK 0354/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189607
42	SE-SK 0354/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189606
43	SE-SK 0354/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189608
44	SE-SK 0354/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189609
45	SE-SK 0354/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189610
46	SE-SK 0354/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189976
47	SE-SK 0354/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189977
48	SE-SK 0354/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189978
49	SE-SK 0354/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189979
50	SE-SK 0354/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189980
51	SE-SK 0355/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189617
52	SE-SK 0355/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189616
53	SE-SK 0355/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189618
54	SE-SK 0355/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189619
55	SE-SK 0355/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189620
56	SE-SK 0355/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189986

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.
57	SE-SK 0355/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189987
58	SE-SK 0355/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189988
59	SE-SK 0355/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189989
60	SE-SK 0355/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189990
61	SE-SK 0356/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189612
62	SE-SK 0356/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189611
63	SE-SK 0356/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189613
64	SE-SK 0356/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189614
65	SE-SK 0356/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189615
66	SE-SK 0356/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189981
67	SE-SK 0356/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189982
68	SE-SK 0356/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189983
69	SE-SK 0356/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189984
70	SE-SK 0356/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189985
71	SE-SK 0389/01 Rev A or later	NR P&P, Interconnect TPWS (arming), 0.275m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/188621
72	SE-SK 0389/11 Rev A or later	NR P&P, Interconnect TPWS (arming), 0.275m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/188991
73	SE-SK 0390/01 Rev A or later	NR P&P, Interconnect TPWS (trigger), 0.275m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (F)	006/188622
74	SE-SK 0390/11 Rev A or later	NR P&P, Interconnect TPWS (trigger), 0.275m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (F)	006/188992
75	SE-SK 0853/01 Rev A or later	NR P&P, Interconnect TPWS, 4m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190681
76	SE-SK 0853/02 Rev A or later	NR P&P, Interconnect TPWS, 7.5m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190682
77	SE-SK 0853/03 Rev A or later	NR P&P, Interconnect TPWS, 15m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190683
78	SE-SK 0853/04 Rev A or later	NR P&P, Interconnect TPWS, 25m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190684
79	SE-SK 0853/05 Rev A or later	NR P&P, Interconnect TPWS, >25m to 35m long as specified on order, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190685

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.
80	SE-SK 0853/11 Rev A or later	NR P&P, Interconnect TPWS, 4m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190701
81	SE-SK 0853/12 Rev B or later	NR P&P, Interconnect TPWS, 7.5m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190702
82	SE-SK 0853/13 Rev B or later	NR P&P, Interconnect TPWS, 15m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190703
83	SE-SK 0853/14 Rev B or later	NR P&P, Interconnect TPWS, 25m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190704
84	SE-SK 0853/15 Rev A or later	NR P&P, Interconnect TPWS, >25m to 35m long as specified on order, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190705
85	SE-SK 0854/01 Rev A or later	NR P&P, Interconnect TPWS, 4m long, C3 2.5sqmm 2 core + screen cable, with MIL5015 Receptacle (F) and Thales Preformed Plug	006/190686
86	SE-SK 0854/02 Rev A or later	NR P&P, Interconnect TPWS, 7.5m long, C3 2.5sqmm 2 core + screen cable, with MIL5015 Receptacle (F) and Thales Preformed Plug	006/190687
87	SE-SK 0854/03 Rev A or later	NR P&P, Interconnect TPWS, 15m long, C3 2.5sqmm 2 core + screen cable, with MIL5015 Receptacle (F) and Thales Preformed Plug	006/190688
88	SE-SK 0854/04 Rev A or later	NR P&P, Interconnect TPWS, 25m long, C3 2.5sqmm 2 core + screen cable, with MIL5015 Receptacle (F) and Thales Preformed Plug	006/190689
89	SE-SK 0854/05 Rev A or later	NR P&P, Interconnect TPWS, >25m to 35m long as specified on order, C3 2.5sqmm 2 core + screen cable, with MIL5015 Receptacle (F) and Thales Preformed Plug	006/190690
90	SE-SK 0854/11 Rev A or later	NR P&P, Interconnect TPWS, 4m long, E3 2.5sqmm 2 core + screen cable, with MIL5015 Receptacle (F) and Thales Preformed Plug	006/190706
91	SE-SK 0854/12 Rev A or later	NR P&P, Interconnect TPWS, 7.5m long, E3 2.5sqmm 2 core + screen cable, with MIL5015 Receptacle (F) and Thales Preformed Plug	006/190707
92	SE-SK 0854/13 Rev A or later	NR P&P, Interconnect TPWS, 15m long, E3 2.5sqmm 2 core + screen cable, with MIL5015 Receptacle (F) and Thales Preformed Plug	006/190708
93	SE-SK 0854/14 Rev A or later	NR P&P, Interconnect TPWS, 25m long, E3 2.5sqmm 2 core + screen cable, with MIL5015 Receptacle (F) and Thales Preformed Plug	006/190709
94	SE-SK 0854/15 Rev A or later	NR P&P, Interconnect TPWS, >25m to 35m long as specified on order, E3 2.5sqmm 2 core + screen cable, with MIL5015 Receptacle (F) and Thales Preformed Plug	006/190710
95	SE-SK 0855/01 Rev B or later	NR P&P, Interconnect TPWS, 4m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190691
96	SE-SK 0855/02 Rev B or later	NR P&P, Interconnect TPWS, 7.5m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190692
97	SE-SK 0855/03 Rev B or later	NR P&P, Interconnect TPWS, 15m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190693
98	SE-SK 0855/04 Rev B or later	NR P&P, Interconnect TPWS, 25m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190694
99	SE-SK 0855/05 Rev B or later	NR P&P, Interconnect TPWS, >25m to 35m long as specified on order, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190695
100	SE-SK 0855/11 Rev B or later	NR P&P, Interconnect TPWS, 4m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190711
101	SE-SK 0855/12 Rev B or later	NR P&P, Interconnect TPWS, 7.5m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190712

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.
102	SE-SK 0855/13 Rev B or later	NR P&P, Interconnect TPWS, 15m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190713
103	SE-SK 0855/14 Rev B or later	NR P&P, Interconnect TPWS, 25m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190714
104	SE-SK 0855/15 Rev B or later	NR P&P, Interconnect TPWS, >25m to 35m long as specified on order, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190715
105	SE-SK 0856/01 Rev A or later	NR P&P, Interconnect TPWS, 4m long, C3 2.5sqmm 2 core + screen cable, with MIL5015 Plug (F) and Thales Preformed Plug	006/190696
106	SE-SK 0856/02 Rev A or later	NR P&P, Interconnect TPWS, 7.5m long, C3 2.5sqmm 2 core + screen cable, with MIL5015 Plug (F) and Thales Preformed Plug	006/190697
107	SE-SK 0856/03 Rev A or later	NR P&P, Interconnect TPWS, 15m long, C3 2.5sqmm 2 core + screen cable, with MIL5015 Plug (F) and Thales Preformed Plug	006/190698
108	SE-SK 0856/04 Rev A or later	NR P&P, Interconnect TPWS, 25m long, C3 2.5sqmm 2 core + screen cable, with MIL5015 Plug (F) and Thales Preformed Plug	006/190699
109	SE-SK 0856/05 Rev A or later	NR P&P, Interconnect TPWS, >25m to 35m long as specified on order, C3 2.5sqmm 2 core + screen cable, with MIL5015 Plug (F) and Thales Preformed Plug	006/190700
110	SE-SK 0856/11 Rev A or later	NR P&P, Interconnect TPWS, 4m long, E3 2.5sqmm 2 core + screen cable, with MIL5015 Plug (F) and Thales Preformed Plug	006/190716
111	SE-SK 0856/12 Rev A or later	NR P&P, Interconnect TPWS, 7.5m long, E3 2.5sqmm 2 core + screen cable, with MIL5015 Plug (F) and Thales Preformed Plug	006/190717
112	SE-SK 0856/13 Rev A or later	NR P&P, Interconnect TPWS, 15m long, E3 2.5sqmm 2 core + screen cable, with MIL5015 Plug (F) and Thales Preformed Plug	006/190718
113	SE-SK 0856/14 Rev A or later	NR P&P, Interconnect TPWS, 25m long, E3 2.5sqmm 2 core + screen cable, with MIL5015 Plug (F) and Thales Preformed Plug	006/190719
114	SE-SK 0856/15 Rev A or later	NR P&P, Interconnect TPWS, >25m to 35m long as specified on order, E3 2.5sqmm 2 core + screen cable, with MIL5015 Plug (F) and Thales Preformed Plug	006/190720
115	SE-SK 0589/01 Rev A or later	NR P&P, Interconnect TPWS (arming), 0.275m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/188623
116	SE-SK 0589/11 Rev A or later	NR P&P, Interconnect TPWS (trigger), 0.275m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/188993
117	SE-SK 0590/01 Rev B or later	NR P&P, Interconnect TPWS (trigger), 0.275m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (F)	006/188624
118	SE-SK 0590/11 Rev B or later	NR P&P, Interconnect TPWS (trigger), 0.275m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (F)	006/188994

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

**Table 5 Interconnects and Leads
Plug & Play Guidance Note 7
Appendix G1 – RCPL/IBCL & Hy-Drive (<50m from ‘Equipment Housing’)**

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.
1	SE-SK 0442/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188561
2	SE-SK 0442/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188562
3	SE-SK 0442/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188563
4	SE-SK 0442/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188564
5	SE-SK 0442/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188565
6	SE-SK 0442/11 Rev A or later	NR P&P, Interconnect, 4m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188581
7	SE-SK 0442/12 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188582
8	SE-SK 0442/13 Rev A or later	NR P&P, Interconnect, 15m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188583
9	SE-SK 0442/14 Rev A or later	NR P&P, Interconnect, 25m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188584
10	SE-SK 0442/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188585
11	SE-SK 0444/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188571
12	SE-SK 0444/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188572
13	SE-SK 0444/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188573
14	SE-SK 0444/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188574
15	SE-SK 0444/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188575
16	SE-SK 0444/11 Rev A or later	NR P&P, Interconnect, 4m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188586
17	SE-SK 0444/12 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188587
18	SE-SK 0444/13 Rev A or later	NR P&P, Interconnect, 15m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188588
19	SE-SK 0444/14 Rev A or later	NR P&P, Interconnect, 25m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188589
20	SE-SK 0444/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188590
21	SE-SK 0446/01 Rev A or later	NR P&P, Lead, 2m long, B2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189561

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.
22	SE-SK 0446/02 Rev A or later	NR P&P, Lead, 4m long, B2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189562
23	SE-SK 0446/03 Rev A or later	NR P&P, Lead, 8m long, B2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189563
24	SE-SK 0446/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189564
25	SE-SK 0446/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189565
26	SE-SK 0446/11 Rev A or later	NR P&P, Lead, 2m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189581
27	SE-SK 0446/12 Rev A or later	NR P&P, Lead, 4m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189582
28	SE-SK 0446/13 Rev A or later	NR P&P, Lead, 8m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189583
29	SE-SK 0446/14 Rev A or later	NR P&P, Lead, 15.5m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189584
30	SE-SK 0446/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189585
31	SE-SK 0447/11 Rev B or later	NR P&P, Lead, 2m long, C2 6sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189586
32	SE-SK 0447/12 Rev B or later	NR P&P, Lead, 4m long, C2 6sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189587
33	SE-SK 0447/13 Rev B or later	NR P&P, Lead, 8m long, C2 6sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189588
34	SE-SK 0447/14 Rev B or later	NR P&P, Lead, 15.5m long, C2 6sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189589
35	SE-SK 0447/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 6sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189590
36	SE-SK 0449/01 Rev A or later	NR P&P, Lead, 2m long, B2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189571
37	SE-SK 0449/02 Rev A or later	NR P&P, Lead, 4m long, B2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189572
38	SE-SK 0449/03 Rev A or later	NR P&P, Lead, 8m long, B2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189573
39	SE-SK 0449/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189574
40	SE-SK 0449/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189575
41	SE-SK 0449/11 Rev A or later	NR P&P, Lead, 2m long, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189591
42	SE-SK 0449/12 Rev A or later	NR P&P, Lead, 4m long, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189592
43	SE-SK 0449/13 Rev A or later	NR P&P, Lead, 8m long, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189593
44	SE-SK 0449/14 Rev A or later	NR P&P, Lead, 15.5m long, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189594

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.
45	SE-SK 0449/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189595
46	SE-SK 0427/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188161
47	SE-SK 0427/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188162
48	SE-SK 0427/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188163
49	SE-SK 0427/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188164
50	SE-SK 0427/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188165
51	SE-SK 0427/11 Rev B or later	NR P&P, Interconnect, 4m long, C2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188481
52	SE-SK 0427/12 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188482
53	SE-SK 0427/13 Rev B or later	NR P&P, Interconnect, 15m long, C2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188483
54	SE-SK 0427/14 Rev B or later	NR P&P, Interconnect, 25m long, C2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188484
55	SE-SK 0427/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188485
56	Generally in accordance with SE-SK 0427/21	NR P&P, Interconnect, 4m long, D2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188231
57	Generally in accordance with SE-SK 0427/22	NR P&P, Interconnect, 7.5m long, D2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188232
58	Generally in accordance with SE-SK 0427/23	NR P&P, Interconnect, 15m long, D2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188233
59	Generally in accordance with SE-SK 0427/24	NR P&P, Interconnect, 25m long, D2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188234
60	Generally in accordance with SE-SK 0427/25	NR P&P, Interconnect, >25m long as specified on order, D2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188235
61	SE-SK 0429/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188171
62	SE-SK 0429/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188172
63	SE-SK 0429/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188173
64	SE-SK 0429/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188174

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.
65	SE-SK 0429/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188175
66	SE-SK 0429/11 Rev B or later	NR P&P, Interconnect, 4m long, C2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188491
67	SE-SK 0429/12 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188492
68	SE-SK 0429/13 Rev B or later	NR P&P, Interconnect, 15m long, C2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188493
69	SE-SK 0429/14 Rev B or later	NR P&P, Interconnect, 25m long, C2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188494
70	SE-SK 0429/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188495
71	Generally in accordance with SE-SK 0429/21	NR P&P, Interconnect, 4m long, D2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/189541
72	Generally in accordance with SE-SK 0429/22	NR P&P, Interconnect, 7.5m long, D2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/189542
73	Generally in accordance with SE-SK 0429/23	NR P&P, Interconnect, 15m long, D2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/189543
74	Generally in accordance with SE-SK 0429/24	NR P&P, Interconnect, 25m long, D2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/189544
75	Generally in accordance with SE-SK 0429/25	NR P&P, Interconnect, >25m long as specified on order, D2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/189545
76	SE-SK 0431/01 Rev B or later	NR P&P, Lead, 2m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189161
77	SE-SK 0431/02 Rev B or later	NR P&P, Lead, 4m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189162
78	SE-SK 0431/03 Rev B or later	NR P&P, Lead, 8m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189163
79	SE-SK 0431/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189164
80	SE-SK 0431/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189165
81	SE-SK 0431/11 Rev B or later	NR P&P, Lead, 2m long, C2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189481
82	SE-SK 0431/12 Rev B or later	NR P&P, Lead, 4m long, C2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189482
83	SE-SK 0431/13 Rev B or later	NR P&P, Lead, 8m long, C2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189483
84	SE-SK 0431/14 Rev B or later	NR P&P, Lead, 15.5m long, C2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189484

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.
85	SE-SK 0431/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189485
86	Generally in accordance with SE-SK 0431/21	NR P&P, Lead, 2m long, D2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189221
87	Generally in accordance with SE-SK 0431/22	NR P&P, Lead, 4m long, D2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189222
88	Generally in accordance with SE-SK 0431/23	NR P&P, Lead, 8m long, D2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189223
89	Generally in accordance with SE-SK 0431/24	NR P&P, Lead, 15.5m long, D2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189224
90	Generally in accordance with SE-SK 0431/25	NR P&P, Lead, >15.5m long as specified on order, D2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189225
91	SE-SK 0432/01 Rev B or later	NR P&P, Lead, 2m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189166
92	SE-SK 0432/02 Rev B or later	NR P&P, Lead, 4m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189167
93	SE-SK 0432/03 Rev B or later	NR P&P, Lead, 8m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189168
94	SE-SK 0432/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189169
95	SE-SK 0432/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189170
96	SE-SK 0432/11 Rev B or later	NR P&P, Lead, 2m long, C2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189486
97	SE-SK 0432/12 Rev B or later	NR P&P, Lead, 4m long, C2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189487
98	SE-SK 0432/13 Rev B or later	NR P&P, Lead, 8m long, C2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189488
99	SE-SK 0432/14 Rev B or later	NR P&P, Lead, 15.5m long, C2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189489
100	SE-SK 0432/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189490
101	Generally in accordance with SE-SK 0432/21	NR P&P, Lead, 2m long, D2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189541
102	Generally in accordance with SE-SK 0432/22	NR P&P, Lead, 4m long, D2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189542
103	Generally in accordance with SE-SK 0432/23	NR P&P, Lead, 8m long, D2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189543

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.
104	Generally in accordance with SE-SK 0432/24	NR P&P, Lead, 15.5m long, D2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189544
105	Generally in accordance with SE-SK 0432/25	NR P&P, Lead, >15.5m long as specified on order, D2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189545
106	SE-SK 0434/01 Rev A or later	NR P&P, Lead, 2m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189171
107	SE-SK 0434/02 Rev A or later	NR P&P, Lead, 4m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189172
108	SE-SK 0434/03 Rev A or later	NR P&P, Lead, 8m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189173
109	SE-SK 0434/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189174
110	SE-SK 0434/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189175
111	SE-SK 0434/11 Rev A or later	NR P&P, Lead, 2m long, C2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189491
112	SE-SK 0434/12 Rev A or later	NR P&P, Lead, 4m long, C2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189492
113	SE-SK 0434/13 Rev A or later	NR P&P, Lead, 8m long, C2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189493
114	SE-SK 0434/14 Rev A or later	NR P&P, Lead, 15.5m long, C2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189494
115	SE-SK 0434/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189495
116	Generally in accordance with SE-SK 0434/21	NR P&P, Lead, 2m long, D2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189226
117	Generally in accordance with SE-SK 0434/22	NR P&P, Lead, 4m long, D2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189227
118	Generally in accordance with SE-SK 0434/23	NR P&P, Lead, 8m long, D2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189228
119	Generally in accordance with SE-SK 0434/24	NR P&P, Lead, 15.5m long, D2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189229
120	Generally in accordance with SE-SK 0434/25	NR P&P, Lead, >15.5m long as specified on order, D2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189230
121	SE-SK 0889/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190461
122	SE-SK 0889/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190462

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.
123	SE-SK 0889/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190463
124	SE-SK 0889/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190464
125	SE-SK 0889/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190465
126	SE-SK 0889/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190466
127	SE-SK 0889/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190467
128	SE-SK 0889/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190468
129	SE-SK 0889/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190469
130	SE-SK 0889/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190470
131	SE-SK 0891/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190481
132	SE-SK 0891/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190482
133	SE-SK 0891/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190483
134	SE-SK 0891/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190484
135	SE-SK 0891/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190485
136	SE-SK 0891/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190486
137	SE-SK 0891/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190487
138	SE-SK 0891/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190488
139	SE-SK 0891/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190489
140	SE-SK 0891/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190490
141	SE-SK 0893/01 Rev A or later	NR P&P, Lead, 2m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191463
142	SE-SK 0893/02 Rev A or later	NR P&P, Lead, 4m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191464
143	SE-SK 0893/03 Rev A or later	NR P&P, Lead, 8m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191465
144	SE-SK 0893/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191466
145	SE-SK 0893/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191467

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.
146	SE-SK 0893/11 Rev B or later	NR P&P, Lead, 2m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191468
147	SE-SK 0893/12 Rev B or later	NR P&P, Lead, 4m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191469
148	SE-SK 0893/13 Rev B or later	NR P&P, Lead, 8m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191470
149	SE-SK 0893/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191463
150	SE-SK 0893/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191464
151	SE-SK 0894/01 Rev A or later	NR P&P, Lead, 2m long, B2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191471
152	SE-SK 0894/02 Rev A or later	NR P&P, Lead, 4m long, B2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191472
153	SE-SK 0894/03 Rev A or later	NR P&P, Lead, 8m long, B2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191473
154	SE-SK 0894/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191474
155	SE-SK 0894/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191475
156	SE-SK 0894/11 Rev B or later	NR P&P, Lead, 2m long, D2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191476
157	SE-SK 0894/12 Rev B or later	NR P&P, Lead, 4m long, D2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191477
158	SE-SK 0894/13 Rev B or later	NR P&P, Lead, 8m long, D2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191478
159	SE-SK 0894/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191479
160	SE-SK 0894/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191480
161	SE-SK 0983/01 Rev A or later	NR P&P, Interconnect, 4m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190081
162	SE-SK 0983/02 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190082
163	SE-SK 0983/03 Rev A or later	NR P&P, Interconnect, 15m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190083
164	SE-SK 0983/04 Rev A or later	NR P&P, Interconnect, 25m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190084
165	SE-SK 0983/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190085
166	SE-SK 0985/01 Rev A or later	NR P&P, Interconnect, 4m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190091
167	SE-SK 0985/02 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190092
168	SE-SK 0985/03 Rev A or later	NR P&P, Interconnect, 15m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190093

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.
169	SE-SK 0985/04 Rev A or later	NR P&P, Interconnect, 25m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190094
170	SE-SK 0985/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190095
171	SE-SK 0987/01 Rev A or later	NR P&P, Lead, 2m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189641
172	SE-SK 0987/02 Rev A or later	NR P&P, Lead, 4m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189642
173	SE-SK 0987/03 Rev A or later	NR P&P, Lead, 8m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189643
174	SE-SK 0987/04 Rev A or later	NR P&P, Lead, 15m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189644
175	SE-SK 0987/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189645
176	SE-SK 0988/01 Rev A or later	NR P&P, Lead, 2m long, C2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189646
177	SE-SK 0988/02 Rev A or later	NR P&P, Lead, 4m long, C2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189647
178	SE-SK 0988/03 Rev A or later	NR P&P, Lead, 8m long, C2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189648
179	SE-SK 0988/04 Rev A or later	NR P&P, Lead, 15m long, C2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189649
180	SE-SK 0988/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189650
181	SE-SK 0990/01 Rev A or later	NR P&P, Lead, 2m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189656
182	SE-SK 0990/02 Rev A or later	NR P&P, Lead, 4m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189657
183	SE-SK 0990/03 Rev A or later	NR P&P, Lead, 8m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189658
184	SE-SK 0990/04 Rev A or later	NR P&P, Lead, 15m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189659
185	SE-SK 0990/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189660
186	SE-SK 0899/21 Rev A or later	NR P&P, Interconnect, 4m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188101
187	SE-SK 0899/22 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188102
188	SE-SK 0899/23 Rev A or later	NR P&P, Interconnect, 15m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188103
189	SE-SK 0899/24 Rev A or later	NR P&P, Interconnect, 25m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188104
190	SE-SK 0899/25 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188105
191	SE-SK 0901/21 Rev A or later	NR P&P, Interconnect, 4m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188111

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.
192	SE-SK 0901/22 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188112
193	SE-SK 0901/23 Rev A or later	NR P&P, Interconnect, 15m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188113
194	SE-SK 0901/24 Rev A or later	NR P&P, Interconnect, 25m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188114
195	SE-SK 0901/25 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188115
196	SE-SK 0903/21 Rev A or later	NR P&P, Lead, 2m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189101
197	SE-SK 0903/22 Rev A or later	NR P&P, Lead, 4m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189102
198	SE-SK 0903/23 Rev A or later	NR P&P, Lead, 8m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189103
199	SE-SK 0903/24 Rev A or later	NR P&P, Lead, 15.5m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189104
200	SE-SK 0903/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189105
201	SE-SK 0904/21 Rev A or later	NR P&P, Lead, 2m long, C2 25sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189106
202	SE-SK 0904/22 Rev A or later	NR P&P, Lead, 4m long, C2 25sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189107
203	SE-SK 0904/23 Rev A or later	NR P&P, Lead, 8m long, C2 25sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189108
204	SE-SK 0904/24 Rev A or later	NR P&P, Lead, 15.5m long, C2 25sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189109
205	SE-SK 0904/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 25sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189110
206	SE-SK 0906/21 Rev A or later	NR P&P, Lead, 2m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189116
207	SE-SK 0906/22 Rev A or later	NR P&P, Lead, 4m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189117
208	SE-SK 0906/23 Rev A or later	NR P&P, Lead, 8m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189118
209	SE-SK 0906/24 Rev A or later	NR P&P, Lead, 15.5m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189119
210	SE-SK 0906/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189120

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

**Table 6 Interconnects and Leads
Plug & Play Guidance Note 7
Appendix G2 – Hy-Drive (>50m from ‘Equipment Housing’)**

Ref	Network Rail Part No.	TABLE 6 Description	PADS No.
1	SE-SK 0391/01 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188341
2	SE-SK 0391/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188342
3	SE-SK 0391/03 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188343
4	SE-SK 0391/04 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188344
5	SE-SK 0391/05 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188345
6	SE-SK 0391/11 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with Flipper (Black) (Black) Preformed Terminal and MIL5015 Plug (F)	006/188741
7	SE-SK 0391/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188742
8	SE-SK 0391/13 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188743
9	SE-SK 0391/14 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188744
10	SE-SK 0391/15 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, E2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188745
11	SE-SK 0392/01 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188346
12	SE-SK 0392/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188347
13	SE-SK 0392/03 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188348
14	SE-SK 0392/04 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188349
15	SE-SK 0392/05 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188350
16	SE-SK 0392/11 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188746
17	SE-SK 0392/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188747
18	SE-SK 0392/13 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188748
19	SE-SK 0392/14 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188749
20	SE-SK 0392/15 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188750
21	SE-SK 0393/01 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188351

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 6 Description	PADS No.
22	SE-SK 0393/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188352
23	SE-SK 0393/03 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188353
24	SE-SK 0393/04 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188354
25	SE-SK 0393/05 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, C2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188355
26	SE-SK 0393/11 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188751
27	SE-SK 0393/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188752
28	SE-SK 0393/13 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188753
29	SE-SK 0393/14 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188754
30	SE-SK 0393/15 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, E2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188755
31	SE-SK 0394/01 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188396
32	SE-SK 0394/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188397
33	SE-SK 0394/03 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188398
34	SE-SK 0394/04 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188399
35	SE-SK 0394/05 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, C2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188400
36	SE-SK 0394/11 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188796
37	SE-SK 0394/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188797
38	SE-SK 0394/13 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188798
39	SE-SK 0394/14 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188799
40	SE-SK 0394/15 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, E2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188800

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

**Table 7 Interconnects and Leads
Plug & Play Guidance Note 7
Appendix G3 – Miscellaneous Points Operating Equipment**

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.
1	SE-SK 0818/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188026
2	SE-SK 0818/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188027
3	SE-SK 0818/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188028
4	SE-SK 0818/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188029
5	SE-SK 0818/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188030
6	SE-SK 0818/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190526
7	SE-SK 0818/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190527
8	SE-SK 0818/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190528
9	SE-SK 0818/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190529
10	SE-SK 0818/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190530
11	SE-SK 0638/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188326
12	SE-SK 0638/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188327
13	SE-SK 0638/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188328
14	SE-SK 0638/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188329
15	SE-SK 0638/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188330
16	SE-SK 0638/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188726
17	SE-SK 0638/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188727
18	SE-SK 0638/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188728
19	SE-SK 0638/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188729
20	SE-SK 0638/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188730
21	SE-SK 0643/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189337

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.
22	SE-SK 0643/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189336
23	SE-SK 0643/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189338
24	SE-SK 0643/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189339
25	SE-SK 0643/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189340
26	SE-SK 0643/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189736
27	SE-SK 0643/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189737
28	SE-SK 0643/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189738
29	SE-SK 0643/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189739
30	SE-SK 0643/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189740
31	SE-SK 0823/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189036
32	SE-SK 0823/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189037
33	SE-SK 0823/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189038
34	SE-SK 0823/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189039
35	SE-SK 0823/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189040
36	SE-SK 0823/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191536
37	SE-SK 0823/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191537
38	SE-SK 0823/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191538
39	SE-SK 0823/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191539
40	SE-SK 0823/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191540
41	SE-SK 0977/04 Rev A or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190437
42	SE-SK 0977/07 Rev A or later	NR P&P, Interconnect, 4.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190438
43	SE-SK 0977/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190439
44	SE-SK 0977/15 Rev A or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190440

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.
45	SE-SK 0977/25 Rev A or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190441
46	SE-SK 0977/26 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190442
47	SE-SK 0978/04 Rev A or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (F)	006/190443
48	SE-SK 0978/07 Rev A or later	NR P&P, Interconnect, 4.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (F)	006/190444
49	SE-SK 0978/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (F)	006/190445
50	SE-SK 0978/15 Rev A or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (F)	006/190446
51	SE-SK 0978/25 Rev A or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (F)	006/190447
52	SE-SK 0978/26 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (F)	006/190448

**Table 8 Interconnects and Leads
Plug & Play Guidance Note 7
Appendix H1 & J2 – Train Detection: Lineside AzLM and Quad Cabling**

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
1	SE-SK 1100/01 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193000
2	SE-SK 1100/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193001
3	SE-SK 1100/03 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193002
4	SE-SK 1100/04 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193003
5	SE-SK 1100/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193004
6	SE-SK 1100/11 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193005
7	SE-SK 1100/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193006
8	SE-SK 1100/13 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193007
9	SE-SK 1100/14 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193008
10	SE-SK 1100/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193009
11	SE-SK 1100/21 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193010

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
12	SE-SK 1100/22 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193011
13	SE-SK 1100/23 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193012
14	SE-SK 1100/24 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193013
15	SE-SK 1100/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193014
16	SE-SK 1100/31 Rev B or later	NR P&P, Interconnect, 4m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193015
17	SE-SK 1100/32 Rev B or later	NR P&P, Interconnect, 7.5m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193016
18	SE-SK 1100/33 Rev B or later	NR P&P, Interconnect, 15m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193017
19	SE-SK 1100/34 Rev B or later	NR P&P, Interconnect, 25m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193018
20	SE-SK 1100/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193019
21	SE-SK 1102/01 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193040
22	SE-SK 1102/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193041
23	SE-SK 1102/03 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193042
24	SE-SK 1102/04 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193043
25	SE-SK 1102/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193044
26	SE-SK 1102/11 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193045
27	SE-SK 1102/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193046
28	SE-SK 1102/13 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193047
29	SE-SK 1102/14 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193048
30	SE-SK 1102/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193049
31	SE-SK 1102/21 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193050
32	SE-SK 1102/22 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193051
33	SE-SK 1102/23 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193052
34	SE-SK 1102/24 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193053

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
35	SE-SK 1102/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193054
36	SE-SK 1102/31 Rev B or later	NR P&P, Interconnect, 4m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193055
37	SE-SK 1102/32 Rev B or later	NR P&P, Interconnect, 7.5m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193056
38	SE-SK 1102/33 Rev B or later	NR P&P, Interconnect, 15m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193057
39	SE-SK 1102/34 Rev B or later	NR P&P, Interconnect, 25m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193058
40	SE-SK 1102/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193059
41	SE-SK 1104/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194000
42	SE-SK 1104/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194001
43	SE-SK 1104/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194002
44	SE-SK 1104/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194003
45	SE-SK 1104/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194004
46	SE-SK 1104/11 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194005
47	SE-SK 1104/12 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194006
48	SE-SK 1104/13 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194007
49	SE-SK 1104/14 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194008
50	SE-SK 1104/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194009
51	SE-SK 1104/21 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194010
52	SE-SK 1104/22 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194011
53	SE-SK 1104/23 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194012
54	SE-SK 1104/24 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194013
55	SE-SK 1104/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194014
56	SE-SK 1104/31 Rev B or later	NR P&P, Lead, 2m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194015

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
57	SE-SK 1104/32 Rev B or later	NR P&P, Lead, 4m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194016
58	SE-SK 1104/33 Rev B or later	NR P&P, Lead, 8m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194017
59	SE-SK 1104/34 Rev B or later	NR P&P, Lead, 15.5m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194018
60	SE-SK 1104/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194019
61	SE-SK 1105/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194020
62	SE-SK 1105/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194021
63	SE-SK 1105/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194022
64	SE-SK 1105/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194023
65	SE-SK 1105/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194024
66	SE-SK 1105/11 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194025
67	SE-SK 1105/12 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194026
68	SE-SK 1105/13 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194027
69	SE-SK 1105/14 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194028
70	SE-SK 1105/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194029
71	SE-SK 1105/21 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194030
72	SE-SK 1105/22 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194031
73	SE-SK 1105/23 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194032
74	SE-SK 1105/24 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194033
75	SE-SK 1105/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194034
76	SE-SK 1105/31 Rev B or later	NR P&P, Lead, 2m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194035
77	SE-SK 1105/32 Rev B or later	NR P&P, Lead, 4m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194036
78	SE-SK 1105/33 Rev B or later	NR P&P, Lead, 8m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194037
79	SE-SK 1105/34 Rev B or later	NR P&P, Lead, 15.5m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194038

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
80	SE-SK 1105/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194039
81	SE-SK 1107/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194060
82	SE-SK 1107/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194061
83	SE-SK 1107/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194062
84	SE-SK 1107/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194063
85	SE-SK 1107/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194064
86	SE-SK 1107/11 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194065
87	SE-SK 1107/12 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194066
88	SE-SK 1107/13 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194067
89	SE-SK 1107/14 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194068
90	SE-SK 1107/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194069
91	SE-SK 1107/21 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194070
92	SE-SK 1107/22 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194071
93	SE-SK 1107/23 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194072
94	SE-SK 1107/24 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194073
95	SE-SK 1107/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194074
96	SE-SK 1107/31 Rev B or later	NR P&P, Lead, 2m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194075
97	SE-SK 1107/32 Rev B or later	NR P&P, Lead, 4m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194076
98	SE-SK 1107/33 Rev B or later	NR P&P, Lead, 8m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194077
99	SE-SK 1107/34 Rev B or later	NR P&P, Lead, 15.5m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194078
100	SE-SK 1107/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194079
101	SE-SK 1108/01 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193120
102	SE-SK 1108/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193121

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
103	SE-SK 1108/03 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193122
104	SE-SK 1108/04 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193123
105	SE-SK 1108/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193124
106	SE-SK 1108/11 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193125
107	SE-SK 1108/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193126
108	SE-SK 1108/13 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193127
109	SE-SK 1108/14 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193128
110	SE-SK 1108/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193129
111	SE-SK 1108/21 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193130
112	SE-SK 1108/22 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193131
113	SE-SK 1108/23 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193132
114	SE-SK 1108/24 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193133
115	SE-SK 1108/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193134
116	SE-SK 1108/31 Rev B or later	NR P&P, Interconnect, 4m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193135
117	SE-SK 1108/32 Rev B or later	NR P&P, Interconnect, 7.5m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193136
118	SE-SK 1108/33 Rev B or later	NR P&P, Interconnect, 15m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193137
119	SE-SK 1108/34 Rev B or later	NR P&P, Interconnect, 25m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193138
120	SE-SK 1108/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193139
201	SE-SK 1110/01 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193160
202	SE-SK 1110/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193161
203	SE-SK 1110/03 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193162
204	SE-SK 1110/04 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193163
205	SE-SK 1110/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193164

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
206	SE-SK 1110/11 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193165
207	SE-SK 1110/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193166
208	SE-SK 1110/13 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193167
209	SE-SK 1110/14 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193168
210	SE-SK 1110/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193169
211	SE-SK 1110/21 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193170
212	SE-SK 1110/22 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193171
213	SE-SK 1110/23 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193172
214	SE-SK 1110/24 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193173
215	SE-SK 1110/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193174
216	SE-SK 1110/31 Rev B or later	NR P&P, Interconnect, 4m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193175
217	SE-SK 1110/32 Rev B or later	NR P&P, Interconnect, 7.5m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193176
218	SE-SK 1110/33 Rev B or later	NR P&P, Interconnect, 15m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193177
219	SE-SK 1110/34 Rev B or later	NR P&P, Interconnect, 25m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193178
220	SE-SK 1110/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193179
221	SE-SK 1112/01 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194120
222	SE-SK 1112/02 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194121
223	SE-SK 1112/03 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194122
224	SE-SK 1112/04 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194123
225	SE-SK 1112/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194124
226	SE-SK 1112/11 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194125
227	SE-SK 1112/12 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194126

Certificate of Acceptance

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
228	SE-SK 1112/13 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194127
229	SE-SK 1112/14 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194128
230	SE-SK 1112/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194129
231	SE-SK 1112/21 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194130
232	SE-SK 1112/22 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194131
233	SE-SK 1112/23 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194132
234	SE-SK 1112/24 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194133
235	SE-SK 1112/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194134
236	SE-SK 1112/31 Rev B or later	NR P&P, Lead, 2m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194135
237	SE-SK 1112/32 Rev B or later	NR P&P, Lead, 4m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194136
238	SE-SK 1112/33 Rev B or later	NR P&P, Lead, 8m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194137
239	SE-SK 1112/34 Rev B or later	NR P&P, Lead, 15.5m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194138
240	SE-SK 1112/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194139
241	SE-SK 1113/01 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194140
242	SE-SK 1113/02 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194141
243	SE-SK 1113/03 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194142
244	SE-SK 1113/04 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194143
245	SE-SK 1113/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194144
246	SE-SK 1113/11 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194145
247	SE-SK 1113/12 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194146
248	SE-SK 1113/13 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194147
249	SE-SK 1113/14 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194148
250	SE-SK 1113/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194149

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
251	SE-SK 1113/21 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194150
252	SE-SK 1113/22 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194151
253	SE-SK 1113/23 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194152
254	SE-SK 1113/24 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194153
255	SE-SK 1113/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194154
256	SE-SK 1113/31 Rev B or later	NR P&P, Lead, 2m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194155
257	SE-SK 1113/32 Rev B or later	NR P&P, Lead, 4m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194156
258	SE-SK 1113/33 Rev B or later	NR P&P, Lead, 8m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194157
259	SE-SK 1113/34 Rev B or later	NR P&P, Lead, 15.5m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194158
260	SE-SK 1113/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194159
261	SE-SK 1115/01 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194180
262	SE-SK 1115/02 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194181
263	SE-SK 1115/03 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194182
264	SE-SK 1115/04 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194183
265	SE-SK 1115/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194184
266	SE-SK 1115/11 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194185
267	SE-SK 1115/12 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194186
268	SE-SK 1115/13 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194187
269	SE-SK 1115/14 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194188
270	SE-SK 1115/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194189
271	SE-SK 1115/21 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194190
272	SE-SK 1115/22 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194191
273	SE-SK 1115/23 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194192

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
274	SE-SK 1115/24 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194193
275	SE-SK 1115/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194194
276	SE-SK 1115/31 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194195
277	SE-SK 1115/32 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194196
278	SE-SK 1115/33 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194197
279	SE-SK 1115/34 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194198
280	SE-SK 1115/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194199
281	SE-SK 1116/01 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193080
282	SE-SK 1116/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193081
283	SE-SK 1116/03 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193082
284	SE-SK 1116/04 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193083
285	SE-SK 1116/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193084
286	SE-SK 1116/11 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193085
287	SE-SK 1116/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193086
288	SE-SK 1116/13 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193087
289	SE-SK 1116/14 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193088
290	SE-SK 1116/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193089
291	SE-SK 1118/01 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193100
292	SE-SK 1118/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193101
293	SE-SK 1118/03 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193102
294	SE-SK 1118/04 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193103
295	SE-SK 1118/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193104
296	SE-SK 1118/11 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193105

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
297	SE-SK 1118/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193106
298	SE-SK 1118/13 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193107
299	SE-SK 1118/14 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193108
300	SE-SK 1118/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193109
301	SE-SK 1120/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194080
302	SE-SK 1120/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194081
303	SE-SK 1120/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194082
304	SE-SK 1120/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194083
305	SE-SK 1120/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194084
306	SE-SK 1120/11 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194085
307	SE-SK 1120/12 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194086
308	SE-SK 1120/13 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194087
309	SE-SK 1120/14 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194088
310	SE-SK 1120/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194089
311	SE-SK 1121/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194090
312	SE-SK 1121/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194091
313	SE-SK 1121/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194092
314	SE-SK 1121/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194093
315	SE-SK 1121/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194094
316	SE-SK 1121/11 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194095
317	SE-SK 1121/12 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194096
318	SE-SK 1121/13 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194097
319	SE-SK 1121/14 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194098

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
320	SE-SK 1121/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194099
321	SE-SK 1123/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194110
322	SE-SK 1123/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194111
323	SE-SK 1123/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194112
324	SE-SK 1123/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194113
325	SE-SK 1123/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194114
326	SE-SK 1123/11 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194115
327	SE-SK 1123/12 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194116
328	SE-SK 1123/13 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194117
329	SE-SK 1123/14 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194118
330	SE-SK 1123/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194119
331	SE-SK 1124/01 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193200
332	SE-SK 1124/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193201
333	SE-SK 1124/03 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193202
334	SE-SK 1124/04 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193203
335	SE-SK 1124/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193204
336	SE-SK 1124/11 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193205
337	SE-SK 1124/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193206
338	SE-SK 1124/13 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193207
339	SE-SK 1124/14 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193208
340	SE-SK 1124/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193209
341	SE-SK 1126/01 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193220
342	SE-SK 1126/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193221

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
343	SE-SK 1126/03 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193222
344	SE-SK 1126/04 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193223
345	SE-SK 1126/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193224
346	SE-SK 1126/11 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193225
347	SE-SK 1126/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193226
348	SE-SK 1126/13 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193227
349	SE-SK 1126/14 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193228
350	SE-SK 1126/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193229
351	SE-SK 1128/01 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194200
352	SE-SK 1128/02 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194201
353	SE-SK 1128/03 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194202
354	SE-SK 1128/04 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194203
355	SE-SK 1128/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194204
356	SE-SK 1128/11 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194205
357	SE-SK 1128/12 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194206
358	SE-SK 1128/13 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194207
359	SE-SK 1128/14 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194208
360	SE-SK 1128/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194209
361	SE-SK 1129/01 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194210
362	SE-SK 1129/02 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194211
363	SE-SK 1129/03 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194212
364	SE-SK 1129/04 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194213

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
365	SE-SK 1129/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194214
366	SE-SK 1129/11 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194215
367	SE-SK 1129/12 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194216
368	SE-SK 1129/13 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194217
369	SE-SK 1129/14 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194218
370	SE-SK 1129/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194219
371	SE-SK 1131/01 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194230
372	SE-SK 1131/02 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194231
373	SE-SK 1131/03 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194232
374	SE-SK 1131/04 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194233
375	SE-SK 1131/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194234
376	SE-SK 1131/11 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194235
377	SE-SK 1131/12 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194236
378	SE-SK 1131/13 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194237
379	SE-SK 1131/14 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194238
380	SE-SK 1131/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194239
381	SE-SK 0680/01 Rev C or later	NR P&P, Interconnect, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190901
382	SE-SK 0680/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190902
383	SE-SK 0680/03 Rev C or later	NR P&P, Interconnect, 15m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190903
384	SE-SK 0680/04 Rev C or later	NR P&P, Interconnect, 25m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190904
385	SE-SK 0680/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190905
386	SE-SK 0680/11 Rev C or later	NR P&P, Interconnect, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190186
387	SE-SK 0680/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190187

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
388	SE-SK 0680/13 Rev C or later	NR P&P, Interconnect, 15m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190188
389	SE-SK 0680/14 Rev C or later	NR P&P, Interconnect, 25m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190189
390	SE-SK 0680/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190190
391	SE-SK 0681/01 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191901
392	SE-SK 0681/02 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191902
393	SE-SK 0681/03 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191903
394	SE-SK 0681/04 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191904
395	SE-SK 0681/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191905
396	SE-SK 0681/11 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and Free End	006/191196
397	SE-SK 0681/12 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and Free End	006/191197
398	SE-SK 0681/13 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and Free End	006/191198
399	SE-SK 0681/14 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and Free End	006/191199
400	SE-SK 0681/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and Free End	006/191200
401	SE-SK 0395/01 Rev C or later	NR P&P, Interconnect, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190911
402	SE-SK 0395/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190912
403	SE-SK 0395/03 Rev C or later	NR P&P, Interconnect, 15m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190913
404	SE-SK 0395/04 Rev C or later	NR P&P, Interconnect, 25m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190914
405	SE-SK 0395/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190915
406	SE-SK 0395/11 Rev C or later	NR P&P, Interconnect, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190181
407	SE-SK 0395/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190182
408	SE-SK 0395/13 Rev C or later	NR P&P, Interconnect, 15m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190183
409	SE-SK 0395/14 Rev C or later	NR P&P, Interconnect, 25m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190184

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
410	SE-SK 0395/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190185
411	SE-SK 0396/01 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191916
412	SE-SK 0396/02 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191917
413	SE-SK 0396/03 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191918
414	SE-SK 0396/04 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191919
415	SE-SK 0396/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191920
416	SE-SK 0396/11 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191186
417	SE-SK 0396/12 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191187
418	SE-SK 0396/13 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191188
419	SE-SK 0396/14 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191189
420	SE-SK 0396/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191190
421	SE-SK 0398/01 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191906
422	SE-SK 0398/02 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191907
423	SE-SK 0398/03 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191908
424	SE-SK 0398/04 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191909
425	SE-SK 0398/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191910
426	SE-SK 0398/11 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191191
427	SE-SK 0398/12 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191192
428	SE-SK 0398/13 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191193
429	SE-SK 0398/14 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191194
430	SE-SK 0398/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191195
431	SE-SK 0766/01 Rev C or later	NR P&P, Interconnect, 4m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190921
432	SE-SK 0766/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190922

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
433	SE-SK 0766/03 Rev C or later	NR P&P, Interconnect, 15m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190923
434	SE-SK 0766/04 Rev C or later	NR P&P, Interconnect, 25m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190924
435	SE-SK 0766/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190925
436	SE-SK 0766/11 Rev C or later	NR P&P, Interconnect, 4m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190721
437	SE-SK 0766/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190722
438	SE-SK 0766/13 Rev C or later	NR P&P, Interconnect, 15m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190723
439	SE-SK 0766/14 Rev C or later	NR P&P, Interconnect, 25m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190724
440	SE-SK 0766/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190725
441	SE-SK 0767/01 Rev C or later	NR P&P, Interconnect, 4m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190926
442	SE-SK 0767/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190927
443	SE-SK 0767/03 Rev C or later	NR P&P, Interconnect, 15m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190928
444	SE-SK 0767/04 Rev C or later	NR P&P, Interconnect, 25m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190929
445	SE-SK 0767/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190930
446	SE-SK 0767/11 Rev C or later	NR P&P, Interconnect, 4m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190726
447	SE-SK 0767/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190727
448	SE-SK 0767/13 Rev C or later	NR P&P, Interconnect, 15m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190728
449	SE-SK 0767/14 Rev C or later	NR P&P, Interconnect, 25m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190729
450	SE-SK 0767/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190730
451	SE-SK 0768/01 Rev C or later	NR P&P, Lead, 2m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191921
452	SE-SK 0768/02 Rev C or later	NR P&P, Lead, 4m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191922
453	SE-SK 0768/03 Rev C or later	NR P&P, Lead, 8m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191923
454	SE-SK 0768/04 Rev C or later	NR P&P, Lead, 15.5m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191924

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
455	SE-SK 0768/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191925
456	SE-SK 0768/11 Rev C or later	NR P&P, Lead, 2m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191721
457	SE-SK 0768/12 Rev C or later	NR P&P, Lead, 4m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191722
458	SE-SK 0768/13 Rev C or later	NR P&P, Lead, 8m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191723
459	SE-SK 0768/14 Rev C or later	NR P&P, Lead, 15.5m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191724
460	SE-SK 0768/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191725
461	SE-SK 0769/01 Rev C or later	NR P&P, Lead, 2m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191926
462	SE-SK 0769/02 Rev C or later	NR P&P, Lead, 4m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191927
463	SE-SK 0769/03 Rev C or later	NR P&P, Lead, 8m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191928
464	SE-SK 0769/04 Rev C or later	NR P&P, Lead, 15.5m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191929
465	SE-SK 0769/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191930
466	SE-SK 0769/11 Rev C or later	NR P&P, Lead, 2m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191726
467	SE-SK 0769/12 Rev C or later	NR P&P, Lead, 4m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191727
468	SE-SK 0769/13 Rev C or later	NR P&P, Lead, 8m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191728
469	SE-SK 0769/14 Rev C or later	NR P&P, Lead, 15.5m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191729
470	SE-SK 0769/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191730
471	SE-SK 0770/01 Rev C or later	NR P&P, Lead, 2m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191931
472	SE-SK 0770/02 Rev C or later	NR P&P, Lead, 4m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191932
473	SE-SK 0770/03 Rev C or later	NR P&P, Lead, 8m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191933
474	SE-SK 0770/04 Rev C or later	NR P&P, Lead, 15.5m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191934
475	SE-SK 0770/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191935
476	SE-SK 0770/11 Rev C or later	NR P&P, Lead, 2m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191731
477	SE-SK 0770/12 Rev C or later	NR P&P, Lead, 4m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191732

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
478	SE-SK 0770/13 Rev C or later	NR P&P, Lead, 8m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191733
479	SE-SK 0770/14 Rev C or later	NR P&P, Lead, 15.5m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191734
480	SE-SK 0770/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191735
481	SE-SK 0772/01 Rev B or later	NR P&P, Interconnect, 4m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190941
482	SE-SK 0772/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190942
483	SE-SK 0772/03 Rev B or later	NR P&P, Interconnect, 15m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190943
484	SE-SK 0772/04 Rev B or later	NR P&P, Interconnect, 25m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190944
485	SE-SK 0772/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190945
486	SE-SK 0772/11 Rev B or later	NR P&P, Interconnect, 4m long, 5 x 0.9mm Star Quad DB LH 416.0115 ZHLS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190741
487	SE-SK 0772/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 5 x 0.9mm Star Quad DB LH 416.0115 ZHLS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190742
488	SE-SK 0772/13 Rev B or later	NR P&P, Interconnect, 15m long, 5 x 0.9mm Star Quad DB LH 416.0115 ZHLS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190743
489	SE-SK 0772/14 Rev B or later	NR P&P, Interconnect, 25m long, 5 x 0.9mm Star Quad DB LH 416.0115 ZHLS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190744
490	SE-SK 0772/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 5 x 0.9mm Star Quad DB LH 416.0115 ZHLS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190745
491	SE-SK 0773/01 Rev B or later	NR P&P, Interconnect, 4m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190946
492	SE-SK 0773/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190947
493	SE-SK 0773/03 Rev B or later	NR P&P, Interconnect, 15m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190948
494	SE-SK 0773/04 Rev B or later	NR P&P, Interconnect, 25m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190949
495	SE-SK 0773/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190950
496	SE-SK 0773/11 Rev B or later	NR P&P, Interconnect, 4m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190746
497	SE-SK 0773/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190747
498	SE-SK 0773/13 Rev B or later	NR P&P, Interconnect, 15m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190748
499	SE-SK 0773/14 Rev B or later	NR P&P, Interconnect, 25m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190749

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
500	SE-SK 0773/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190750
501	SE-SK 0774/01 Rev B or later	NR P&P, Lead, 2m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191951
502	SE-SK 0774/02 Rev B or later	NR P&P, Lead, 4m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191952
503	SE-SK 0774/03 Rev B or later	NR P&P, Lead, 8m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191953
504	SE-SK 0774/04 Rev B or later	NR P&P, Lead, 15.5m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191954
505	SE-SK 0774/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191955
506	SE-SK 0774/11 Rev B or later	NR P&P, Lead, 2m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191741
507	SE-SK 0774/12 Rev B or later	NR P&P, Lead, 4m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191742
508	SE-SK 0774/13 Rev B or later	NR P&P, Lead, 8m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191743
509	SE-SK 0774/14 Rev B or later	NR P&P, Lead, 15.5m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191744
510	SE-SK 0774/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191745
511	SE-SK 0775/01 Rev B or later	NR P&P, Lead, 2m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191941
512	SE-SK 0775/02 Rev B or later	NR P&P, Lead, 4m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191942
513	SE-SK 0775/03 Rev B or later	NR P&P, Lead, 8m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191943
514	SE-SK 0775/04 Rev B or later	NR P&P, Lead, 15.5m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191944
515	SE-SK 0775/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191945
516	SE-SK 0775/11 Rev B or later	NR P&P, Lead, 2m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191746
517	SE-SK 0775/12 Rev B or later	NR P&P, Lead, 4m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191747
518	SE-SK 0775/13 Rev B or later	NR P&P, Lead, 8m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191748
519	SE-SK 0775/14 Rev B or later	NR P&P, Lead, 15.5m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191749
520	SE-SK 0775/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191750
521	SE-SK 0776/01 Rev B or later	NR P&P, Lead, 2m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191946
522	SE-SK 0776/02 Rev B or later	NR P&P, Lead, 4m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191947

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
523	SE-SK 0776/03 Rev B or later	NR P&P, Lead, 8m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191948
524	SE-SK 0776/04 Rev B or later	NR P&P, Lead, 15.5m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191949
525	SE-SK 0776/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191950
526	SE-SK 0776/11 Rev B or later	NR P&P, Lead, 2m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191751
527	SE-SK 0776/12 Rev B or later	NR P&P, Lead, 4m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191752
528	SE-SK 0776/13 Rev B or later	NR P&P, Lead, 8m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191753
529	SE-SK 0776/14 Rev B or later	NR P&P, Lead, 15.5m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191754
530	SE-SK 0776/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191755
531	SE-SK 0778/01 Rev C or later	NR P&P, Interconnect, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190961
532	SE-SK 0778/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190962
533	SE-SK 0778/03 Rev C or later	NR P&P, Interconnect, 15m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190963
534	SE-SK 0778/04 Rev C or later	NR P&P, Interconnect, 25m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190964
535	SE-SK 0778/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190965
536	SE-SK 0778/11 Rev C or later	NR P&P, Interconnect, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190761
537	SE-SK 0778/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190762
538	SE-SK 0778/13 Rev C or later	NR P&P, Interconnect, 15m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190763
539	SE-SK 0778/14 Rev C or later	NR P&P, Interconnect, 25m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190764
540	SE-SK 0778/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190765
541	SE-SK 0779/01 Rev C or later	NR P&P, Interconnect, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190971
542	SE-SK 0779/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190972
543	SE-SK 0779/03 Rev C or later	NR P&P, Interconnect, 15m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190973
544	SE-SK 0779/04 Rev C or later	NR P&P, Interconnect, 25m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190974

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
545	SE-SK 0779/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190975
546	SE-SK 0779/11 Rev C or later	NR P&P, Interconnect, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190766
547	SE-SK 0779/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190767
548	SE-SK 0779/13 Rev C or later	NR P&P, Interconnect, 15m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190768
549	SE-SK 0779/14 Rev C or later	NR P&P, Interconnect, 25m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190769
550	SE-SK 0779/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190770
551	SE-SK 0780/01 Rev C or later	NR P&P, Lead, 2m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191961
552	SE-SK 0780/02 Rev C or later	NR P&P, Lead, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191962
553	SE-SK 0780/03 Rev C or later	NR P&P, Lead, 8m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191963
554	SE-SK 0780/04 Rev C or later	NR P&P, Lead, 15.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191964
555	SE-SK 0780/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191965
556	SE-SK 0780/11 Rev C or later	NR P&P, Lead, 2m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191761
557	SE-SK 0780/12 Rev C or later	NR P&P, Lead, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191762
558	SE-SK 0780/13 Rev C or later	NR P&P, Lead, 8m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191763
559	SE-SK 0780/14 Rev C or later	NR P&P, Lead, 15.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191764
560	SE-SK 0780/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191765
561	SE-SK 0781/01 Rev C or later	NR P&P, Lead, 2m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (F)	006/191971
562	SE-SK 0781/02 Rev C or later	NR P&P, Lead, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (F)	006/191972
563	SE-SK 0781/03 Rev C or later	NR P&P, Lead, 8m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (F)	006/191973
564	SE-SK 0781/04 Rev C or later	NR P&P, Lead, 15.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (F)	006/191974
565	SE-SK 0781/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (F)	006/191975
566	SE-SK 0781/11 Rev C or later	NR P&P, Lead, 2m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (F)	006/191766

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
567	SE-SK 0781/12 Rev C or later	NR P&P, Lead, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (F)	006/191767
568	SE-SK 0781/13 Rev C or later	NR P&P, Lead, 8m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (F)	006/191768
569	SE-SK 0781/14 Rev C or later	NR P&P, Lead, 15.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (F)	006/191769
570	SE-SK 0781/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (F)	006/191770
571	SE-SK 0782/01 Rev C or later	NR P&P, Lead, 2m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191966
572	SE-SK 0782/02 Rev C or later	NR P&P, Lead, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191967
573	SE-SK 0782/03 Rev C or later	NR P&P, Lead, 8m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191968
574	SE-SK 0782/04 Rev C or later	NR P&P, Lead, 15.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191969
575	SE-SK 0782/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191970
576	SE-SK 0782/11 Rev C or later	NR P&P, Lead, 2m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191771
577	SE-SK 0782/12 Rev C or later	NR P&P, Lead, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191772
578	SE-SK 0782/13 Rev C or later	NR P&P, Lead, 8m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191773
579	SE-SK 0782/14 Rev C or later	NR P&P, Lead, 15.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191774
580	SE-SK 0782/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191775
581	SE-SK 0783/01 Rev C or later	NR P&P, Interconnect, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190981
582	SE-SK 0783/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190982
583	SE-SK 0783/03 Rev C or later	NR P&P, Interconnect, 15m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190983
584	SE-SK 0783/04 Rev C or later	NR P&P, Interconnect, 25m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190984
585	SE-SK 0783/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190985
586	SE-SK 0783/11 Rev C or later	NR P&P, Interconnect, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190781
587	SE-SK 0783/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190782
588	SE-SK 0783/13 Rev C or later	NR P&P, Interconnect, 15m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190783
589	SE-SK 0783/14 Rev C or later	NR P&P, Interconnect, 25m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190784

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
590	SE-SK 0783/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190785
591	SE-SK 0784/01 Rev C or later	NR P&P, Interconnect, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190991
592	SE-SK 0784/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190992
593	SE-SK 0784/03 Rev C or later	NR P&P, Interconnect, 15m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190993
594	SE-SK 0784/04 Rev C or later	NR P&P, Interconnect, 25m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190994
595	SE-SK 0784/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190995
596	SE-SK 0784/11 Rev C or later	NR P&P, Interconnect, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190786
597	SE-SK 0784/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190787
598	SE-SK 0784/13 Rev C or later	NR P&P, Interconnect, 15m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190788
599	SE-SK 0784/14 Rev C or later	NR P&P, Interconnect, 25m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190789
600	SE-SK 0784/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190790
601	SE-SK 0785/01 Rev C or later	NR P&P, Lead, 2m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191981
602	SE-SK 0785/02 Rev C or later	NR P&P, Lead, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191982
603	SE-SK 0785/03 Rev C or later	NR P&P, Lead, 8m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191983
604	SE-SK 0785/04 Rev C or later	NR P&P, Lead, 15.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191984
605	SE-SK 0785/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191985
606	SE-SK 0785/11 Rev C or later	NR P&P, Lead, 2m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191781
607	SE-SK 0785/12 Rev C or later	NR P&P, Lead, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191782
608	SE-SK 0785/13 Rev C or later	NR P&P, Lead, 8m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191783
609	SE-SK 0785/14 Rev C or later	NR P&P, Lead, 15.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191784
610	SE-SK 0785/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191785
611	SE-SK 0786/01 Rev C or later	NR P&P, Lead, 2m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (F)	006/191991

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.
612	SE-SK 0786/02 Rev C or later	NR P&P, Lead, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (F)	006/191992
613	SE-SK 0786/03 Rev C or later	NR P&P, Lead, 8m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (F)	006/191993
614	SE-SK 0786/04 Rev C or later	NR P&P, Lead, 15.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (F)	006/191994
615	SE-SK 0786/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (F)	006/191995
616	SE-SK 0786/11 Rev C or later	NR P&P, Lead, 2m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (F)	006/191786
617	SE-SK 0786/12 Rev C or later	NR P&P, Lead, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (F)	006/191787
618	SE-SK 0786/13 Rev C or later	NR P&P, Lead, 8m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (F)	006/191788
619	SE-SK 0786/14 Rev C or later	NR P&P, Lead, 15.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (F)	006/191789
620	SE-SK 0786/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (F)	006/191790
621	SE-SK 0787/01 Rev C or later	NR P&P, Lead, 2m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191986
622	SE-SK 0787/02 Rev C or later	NR P&P, Lead, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191987
623	SE-SK 0787/03 Rev C or later	NR P&P, Lead, 8m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191988
624	SE-SK 0787/04 Rev C or later	NR P&P, Lead, 15.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191989
625	SE-SK 0787/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191990
626	SE-SK 0787/11 Rev C or later	NR P&P, Lead, 2m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191791
627	SE-SK 0787/12 Rev C or later	NR P&P, Lead, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191792
628	SE-SK 0787/13 Rev C or later	NR P&P, Lead, 8m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191793
629	SE-SK 0787/14 Rev C or later	NR P&P, Lead, 15.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191794
630	SE-SK 0787/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191795

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

**Table 9 Interconnects and Leads
Plug & Play Guidance Note 7 Appendix J1 – Lineside Cabling**

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.
1	SE-SK 0497/01 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189270
2	SE-SK 0497/02 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189265
3	SE-SK 0497/03 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189280
4	SE-SK 0497/04 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189275
5	SE-SK 0497/11 Rev B or later	NR P&P, Lead, 2m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189266
6	SE-SK 0497/12 Rev B or later	NR P&P, Lead, 2m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189261
7	SE-SK 0497/13 Rev B or later	NR P&P, Lead, 2m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189276
8	SE-SK 0497/14 Rev B or later	NR P&P, Lead, 2m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189271
9	SE-SK 0497/21 Rev B or later	NR P&P, Lead, 4m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189267
10	SE-SK 0497/22 Rev B or later	NR P&P, Lead, 4m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189262
11	SE-SK 0497/23 Rev B or later	NR P&P, Lead, 4m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189277
12	SE-SK 0497/24 Rev B or later	NR P&P, Lead, 4m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189272
13	SE-SK 0497/31 Rev B or later	NR P&P, Lead, 8m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189268
14	SE-SK 0497/32 Rev B or later	NR P&P, Lead, 8m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189263
15	SE-SK 0497/33 Rev B or later	NR P&P, Lead, 8m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189278
16	SE-SK 0497/34 Rev B or later	NR P&P, Lead, 8m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189273
17	SE-SK 0497/41 Rev B or later	NR P&P, Lead, 15.5m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189269
18	SE-SK 0497/42 Rev B or later	NR P&P, Lead, 15.5m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189264
19	SE-SK 0497/43 Rev B or later	NR P&P, Lead, 15.5m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189279
20	SE-SK 0497/44 Rev B or later	NR P&P, Lead, 15.5m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189274
21	SE-SK 0677/01 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188241
22	SE-SK 0677/02 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188246

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.
23	SE-SK 0677/03 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188251
24	SE-SK 0677/04 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188256
25	SE-SK 0677/11 Rev B or later	NR P&P, Interconnect, 4m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188242
26	SE-SK 0677/12 Rev B or later	NR P&P, Interconnect, 4m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188247
27	SE-SK 0677/13 Rev B or later	NR P&P, Interconnect, 4m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188252
28	SE-SK 0677/14 Rev B or later	NR P&P, Interconnect, 4m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188257
29	SE-SK 0677/21 Rev B or later	NR P&P, Interconnect, 7.5m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188243
30	SE-SK 0677/22 Rev B or later	NR P&P, Interconnect, 7.5m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188248
31	SE-SK 0677/23 Rev B or later	NR P&P, Interconnect, 7.5m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188253
32	SE-SK 0677/24 Rev B or later	NR P&P, Interconnect, 7.5m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188258
33	SE-SK 0677/31 Rev B or later	NR P&P, Interconnect, 15m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188244
34	SE-SK 0677/32 Rev B or later	NR P&P, Interconnect, 15m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188249
35	SE-SK 0677/33 Rev B or later	NR P&P, Interconnect, 15m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188254
36	SE-SK 0677/34 Rev B or later	NR P&P, Interconnect, 15m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188259
37	SE-SK 0677/41 Rev B or later	NR P&P, Interconnect, 25m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188245
38	SE-SK 0677/42 Rev B or later	NR P&P, Interconnect, 25m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188250
39	SE-SK 0677/43 Rev B or later	NR P&P, Interconnect, 25m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188255
40	SE-SK 0677/44 Rev B or later	NR P&P, Interconnect, 25m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188260
41	SE-SK 0679/01 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189241
42	SE-SK 0679/02 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189246
43	SE-SK 0679/03 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189251
44	SE-SK 0679/04 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189256

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.
45	SE-SK 0679/11 Rev B or later	NR P&P, Lead, 2m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189242
46	SE-SK 0679/12 Rev B or later	NR P&P, Lead, 2m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189247
47	SE-SK 0679/13 Rev B or later	NR P&P, Lead, 2m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189252
48	SE-SK 0679/14 Rev B or later	NR P&P, Lead, 2m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189257
49	SE-SK 0679/21 Rev B or later	NR P&P, Lead, 4m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189243
50	SE-SK 0679/22 Rev B or later	NR P&P, Lead, 4m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189248
51	SE-SK 0679/23 Rev B or later	NR P&P, Lead, 4m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189253
52	SE-SK 0679/24 Rev B or later	NR P&P, Lead, 4m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189258
53	SE-SK 0679/31 Rev B or later	NR P&P, Lead, 8m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189244
54	SE-SK 0679/32 Rev B or later	NR P&P, Lead, 8m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189249
55	SE-SK 0679/33 Rev B or later	NR P&P, Lead, 8m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189254
56	SE-SK 0679/34 Rev B or later	NR P&P, Lead, 8m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189259
57	SE-SK 0679/41 Rev B or later	NR P&P, Lead, 15.5m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189245
58	SE-SK 0679/42 Rev B or later	NR P&P, Lead, 15.5m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189250
59	SE-SK 0679/43 Rev B or later	NR P&P, Lead, 15.5m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189255
60	SE-SK 0679/44 Rev B or later	NR P&P, Lead, 15.5m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189260
61	SE-SK 0960/01 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188641
62	SE-SK 0960/02 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188646
63	SE-SK 0960/03 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188651
64	SE-SK 0960/04 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188656
65	SE-SK 0960/11 Rev A or later	NR P&P, Interconnect, 4m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188642
66	SE-SK 0960/12 Rev A or later	NR P&P, Interconnect, 4m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188647
67	SE-SK 0960/13 Rev A or later	NR P&P, Interconnect, 4m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188652

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.
68	SE-SK 0960/14 Rev A or later	NR P&P, Interconnect, 4m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188657
69	SE-SK 0960/21 Rev A or later	NR P&P, Interconnect, 7.5m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188643
70	SE-SK 0960/22 Rev A or later	NR P&P, Interconnect, 7.5m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188648
71	SE-SK 0960/23 Rev A or later	NR P&P, Interconnect, 7.5m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188653
72	SE-SK 0960/24 Rev A or later	NR P&P, Interconnect, 7.5m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188658
73	SE-SK 0960/31 Rev A or later	NR P&P, Interconnect, 15m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188644
74	SE-SK 0960/32 Rev A or later	NR P&P, Interconnect, 15m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188649
75	SE-SK 0960/33 Rev A or later	NR P&P, Interconnect, 15m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188654
76	SE-SK 0960/34 Rev A or later	NR P&P, Interconnect, 15m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188659
77	SE-SK 0960/41 Rev A or later	NR P&P, Interconnect, 25m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188645
78	SE-SK 0960/42 Rev A or later	NR P&P, Interconnect, 25m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188650
79	SE-SK 0960/43 Rev A or later	NR P&P, Interconnect, 25m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188655
80	SE-SK 0960/44 Rev A or later	NR P&P, Interconnect, 25m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188660
81	SE-SK 0961/01 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189661
82	SE-SK 0961/02 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189666
83	SE-SK 0961/03 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189671
84	SE-SK 0961/04 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189676
85	SE-SK 0961/11 Rev A or later	NR P&P, Lead, 2m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189662
86	SE-SK 0961/12 Rev A or later	NR P&P, Lead, 2m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189667
87	SE-SK 0961/13 Rev A or later	NR P&P, Lead, 2m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189672
88	SE-SK 0961/14 Rev A or later	NR P&P, Lead, 2m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189677
89	SE-SK 0961/21 Rev A or later	NR P&P, Lead, 4m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189663
90	SE-SK 0961/22 Rev A or later	NR P&P, Lead, 4m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189668

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.
91	SE-SK 0961/23 Rev A or later	NR P&P, Lead, 4m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189673
92	SE-SK 0961/24 Rev A or later	NR P&P, Lead, 4m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189678
93	SE-SK 0961/31 Rev A or later	NR P&P, Lead, 8m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189664
94	SE-SK 0961/32 Rev A or later	NR P&P, Lead, 8m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189669
95	SE-SK 0961/33 Rev A or later	NR P&P, Lead, 8m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189674
96	SE-SK 0961/34 Rev A or later	NR P&P, Lead, 8m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189679
97	SE-SK 0961/41 Rev A or later	NR P&P, Lead, 15.5m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189665
98	SE-SK 0961/42 Rev A or later	NR P&P, Lead, 15.5m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189670
99	SE-SK 0961/43 Rev A or later	NR P&P, Lead, 15.5m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189675
100	SE-SK 0961/44 Rev A or later	NR P&P, Lead, 15.5m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189680
101	SE-SK 0964/01 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Black Sheath	006/188681
102	SE-SK 0964/02 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Blue Sheath	006/188686
103	SE-SK 0964/03 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Black Sheath	006/188691
104	SE-SK 0964/04 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Blue Sheath	006/188696
105	SE-SK 0964/11 Rev A or later	NR P&P, Interconnect, 4m long, BR1932, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Black Sheath	006/188682
106	SE-SK 0964/12 Rev A or later	NR P&P, Interconnect, 4m long, BR1932, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Blue Sheath	006/188687
107	SE-SK 0964/13 Rev A or later	NR P&P, Interconnect, 4m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Black Sheath	006/188692
108	SE-SK 0964/14 Rev A or later	NR P&P, Interconnect, 4m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Blue Sheath	006/188697
109	SE-SK 0964/21 Rev A or later	NR P&P, Interconnect, 7.5m long, BR1932, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Black Sheath	006/188683
110	SE-SK 0964/22 Rev A or later	NR P&P, Interconnect, 7.5m long, BR1932, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Blue Sheath	006/188688
111	SE-SK 0964/23 Rev A or later	NR P&P, Interconnect, 7.5m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Black Sheath	006/188693
112	SE-SK 0964/24 Rev A or later	NR P&P, Interconnect, 7.5m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Blue Sheath	006/188698

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.
113	SE-SK 0964/31 Rev A or later	NR P&P, Interconnect, 15m long, BR1932, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Black Sheath	006/188684
114	SE-SK 0964/32 Rev A or later	NR P&P, Interconnect, 15m long, BR1932, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Blue Sheath	006/188689
115	SE-SK 0964/33 Rev A or later	NR P&P, Interconnect, 15m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Black Sheath	006/188694
116	SE-SK 0964/34 Rev A or later	NR P&P, Interconnect, 15m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Blue Sheath	006/188699
117	SE-SK 0964/41 Rev A or later	NR P&P, Interconnect, 25m long, BR1932, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Black Sheath	006/188685
118	SE-SK 0964/42 Rev A or later	NR P&P, Interconnect, 25m long, BR1932, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Blue Sheath	006/188690
119	SE-SK 0964/43 Rev A or later	NR P&P, Interconnect, 25m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Black Sheath	006/188695
120	SE-SK 0964/44 Rev A or later	NR P&P, Interconnect, 25m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Receptacle (F) to Receptacle (M), Blue Sheath	006/188700
121	SE-SK 1222/01 Rev A or later	NR P&P, Interconnect, 4m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193240
122	SE-SK 1222/02 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193241
123	SE-SK 1222/03 Rev A or later	NR P&P, Interconnect, 15m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193242
124	SE-SK 1222/04 Rev A or later	NR P&P, Interconnect, 25m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193243
125	SE-SK 1222/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193244
126	SE-SK 1222/11 Rev A or later	NR P&P, Interconnect, 4m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193280
127	SE-SK 1222/12 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193281
128	SE-SK 1222/13 Rev A or later	NR P&P, Interconnect, 15m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193282
129	SE-SK 1222/14 Rev A or later	NR P&P, Interconnect, 25m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193283
130	SE-SK 1222/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193284
131	SE-SK 1224/01 Rev A or later	NR P&P, Interconnect, 4m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193250
132	SE-SK 1224/02 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193251
133	SE-SK 1224/03 Rev A or later	NR P&P, Interconnect, 15m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193252
134	SE-SK 1224/04 Rev A or later	NR P&P, Interconnect, 25m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193253
135	SE-SK 1224/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193254

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.
136	SE-SK 1224/11 Rev A or later	NR P&P, Interconnect, 4m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193290
137	SE-SK 1224/12 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193291
138	SE-SK 1224/13 Rev A or later	NR P&P, Interconnect, 15m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193292
139	SE-SK 1224/14 Rev A or later	NR P&P, Interconnect, 25m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193293
140	SE-SK 1224/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193294
141	SE-SK 1226/01 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and Free End	006/194240
142	SE-SK 1226/02 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and Free End	006/194241
143	SE-SK 1226/03 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and Free End	006/194242
144	SE-SK 1226/04 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and Free End	006/194243
145	SE-SK 1226/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and Free End	006/194244
146	SE-SK 1226/11 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and Free End	006/194280
147	SE-SK 1226/12 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and Free End	006/194281
148	SE-SK 1226/13 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and Free End	006/194282
149	SE-SK 1226/14 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and Free End	006/194283
150	SE-SK 1226/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and Free End	006/194284
151	SE-SK 1227/01 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194245
152	SE-SK 1227/02 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194246
153	SE-SK 1227/03 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194247
154	SE-SK 1227/04 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194248
155	SE-SK 1227/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194249
156	SE-SK 1227/11 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194285
157	SE-SK 1227/12 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194286
158	SE-SK 1227/13 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194287

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.
159	SE-SK 1227/14 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194288
160	SE-SK 1227/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194289
161	SE-SK 1229/01 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and Free End	006/194255
162	SE-SK 1229/02 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and Free End	006/194256
163	SE-SK 1229/03 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and Free End	006/194257
164	SE-SK 1229/04 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and Free End	006/194258
165	SE-SK 1229/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and Free End	006/194259
170	SE-SK 1229/11 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and Free End	006/194295
171	SE-SK 1229/12 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and Free End	006/194296
178	SE-SK 1229/13 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and Free End	006/194297
179	SE-SK 1229/14 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and Free End	006/194298
180	SE-SK 1229/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and Free End	006/194299
181	SE-SK 1230/21 Rev A or later	NR P&P, Interconnect, 4m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193260
182	SE-SK 1230/22 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193261
183	SE-SK 1230/23 Rev A or later	NR P&P, Interconnect, 15m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193262
184	SE-SK 1230/24 Rev A or later	NR P&P, Interconnect, 25m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193263
185	SE-SK 1230/25 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193264
186	SE-SK 1232/21 Rev A or later	NR P&P, Interconnect, 4m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193270
187	SE-SK 1232/22 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193271
188	SE-SK 1232/23 Rev A or later	NR P&P, Interconnect, 15m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193272
189	SE-SK 1232/24 Rev A or later	NR P&P, Interconnect, 25m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193273
190	SE-SK 1232/25 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193274
191	SE-SK 1234/21 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and Free End	006/194260

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.
192	SE-SK 1234/22 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and Free End	006/194261
193	SE-SK 1234/23 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and Free End	006/194262
194	SE-SK 1234/24 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and Free End	006/194263
195	SE-SK 1234/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and Free End	006/194264
196	SE-SK 1235/21 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194265
197	SE-SK 1235/22 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194266
198	SE-SK 1235/23 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194267
199	SE-SK 1235/24 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194268
200	SE-SK 1235/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194269
201	SE-SK 1237/21 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and Free End	006/194275
202	SE-SK 1237/22 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and Free End	006/194276
203	SE-SK 1237/23 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and Free End	006/194277
204	SE-SK 1237/24 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and Free End	006/194278
205	SE-SK 1237/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and Free End	006/194279
206	SE-SK 0872/01 Rev A or later	NR P&P, Interconnect, 4m long, 5 Pair 0.9mm Telecommunications Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190821
207	SE-SK 0872/02 Rev A or later	NR P&P, Interconnect, 7.5m long, 5 Pair 0.9mm Telecommunications Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190822
208	SE-SK 0872/03 Rev A or later	NR P&P, Interconnect, 15m long, 5 Pair 0.9mm Telecommunications Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190823
209	SE-SK 0872/04 Rev A or later	NR P&P, Interconnect, 25m long, 5 Pair 0.9mm Telecommunications Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190824
210	SE-SK 0872/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 5 Pair 0.9mm Telecommunications Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190825
211	SE-SK 0874/01 Rev A or later	NR P&P, Interconnect, 4m long, 5 Pair 0.9mm Telecommunications Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190831
212	SE-SK 0874/02 Rev A or later	NR P&P, Interconnect, 7.5m long, 5 Pair 0.9mm Telecommunications Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190832
213	SE-SK 0874/03 Rev A or later	NR P&P, Interconnect, 15m long, 5 Pair 0.9mm Telecommunications Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190833
214	SE-SK 0874/04 Rev A or later	NR P&P, Interconnect, 25m long, 5 Pair 0.9mm Telecommunications Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190834

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.
215	SE-SK 0874/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 5 Pair 0.9mm Telecommunications Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190835
216	SE-SK 0876/01 Rev A or later	NR P&P, Lead, 2m long, 5 Pair 0.9mm Telecommunications Cable Plug (F) to Free End	006/191821
217	SE-SK 0876/02 Rev A or later	NR P&P, Lead 4m long, 5 Pair 0.9mm Telecommunications Cable Plug (F) to Free End	006/191822
218	SE-SK 0876/03 Rev A or later	NR P&P, Lead 8m long, 5 Pair 0.9mm Telecommunications Cable Plug (F) to Free End	006/191823
219	SE-SK 0876/04 Rev A or later	NR P&P, Lead 15.5m long, 5 Pair 0.9mm Telecommunications Cable Plug (F) to Free End	006/191824
220	SE-SK 0876/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 5 Pair 0.9mm Telecommunications Cable Plug (F) to Free End	006/191825
221	SE-SK 0877/01 Rev A or later	NR P&P, Lead, 2m long, 5 Pair 0.9mm Telecommunications Cable Plug (M) to Free End	006/191826
222	SE-SK 0877/02 Rev A or later	NR P&P, Lead 4m long, 5 Pair 0.9mm Telecommunications Cable Plug (M) to Free End	006/191827
223	SE-SK 0877/03 Rev A or later	NR P&P, Lead 8m long, 5 Pair 0.9mm Telecommunications Cable Plug (M) to Free End	006/191828
224	SE-SK 0877/04 Rev A or later	NR P&P, Lead 15.5m long, 5 Pair 0.9mm Telecommunications Cable Plug (M) to Free End	006/191829
225	SE-SK 0877/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 5 Pair 0.9mm Telecommunications Cable Plug (M) to Free End	006/191830
226	SE-SK 0879/01 Rev A or later	NR P&P, Lead, 2m long, 5 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) to Free End	006/191836
227	SE-SK 0879/02	NR P&P, Lead, 4m long, 5 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) to Free End	006/191837
228	SE-SK 0879/03 Rev A or later	NR P&P, Lead, 8m long, 5 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) to Free End	006/191838
229	SE-SK 0879/04	NR P&P, Lead, 15.5m long, 5 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) to Free End	006/191839
230	SE-SK 0879/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 5 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) to Free End	006/191840
231	SE-SK 0920/01 Rev A or later	NR P&P, Interconnect, 4m long, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190601
232	SE-SK 0920/02 Rev A or later	NR P&P, Interconnect, 7.5m long, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190602
233	SE-SK 0920/03 Rev A or later	NR P&P, Interconnect, 15m long, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190603
234	SE-SK 0920/04 Rev A or later	NR P&P, Interconnect, 25m long, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190604
235	SE-SK 0920/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190605
236	SE-SK 0922/01 Rev A or later	NR P&P, Interconnect, 4m long, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190611
237	SE-SK 0922/02 Rev A or later	NR P&P, Interconnect, 7.5m long, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190612

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.
238	SE-SK 0922/03 Rev A or later	NR P&P, Interconnect, 15m long, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190613
239	SE-SK 0922/04 Rev A or later	NR P&P, Interconnect, 25m long, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190614
240	SE-SK 0922/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190615
241	SE-SK 0924/01 Rev A or later	NR P&P, Lead, 2m long, 6 Pair 0.9mm Telecommunications cable, with Free End to MIL5015 Plug (F)	006/191601
242	SE-SK 0924/02 Rev A or later	NR P&P, Lead, 4m long, 6 Pair 0.9mm Telecommunications cable, with Free End to MIL5015 Plug (F)	006/191602
243	SE-SK 0924/03 Rev A or later	NR P&P, Lead, 8m long, 6 Pair 0.9mm Telecommunications cable, with Free End to MIL5015 Plug (F)	006/191603
244	SE-SK 0924/04 Rev A or later	NR P&P, Lead, 15.5m long, 6 Pair 0.9mm Telecommunications cable, with Free End to MIL5015 Plug (F)	006/191604
245	SE-SK 0924/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 6 Pair 0.9mm Telecommunications cable, with Free End to MIL5015 Plug (F)	006/191605
246	SE-SK 0925/01 Rev A or later	NR P&P, Lead, 2m long, 6 Pair 0.9mm Telecommunications cable, with Free End to MIL5015 Plug (M)	006/191606
247	SE-SK 0925/02 Rev A or later	NR P&P, Lead, 4m long, 6 Pair 0.9mm Telecommunications cable, with Free End to MIL5015 Plug (M)	006/191607
248	SE-SK 0925/03 Rev A or later	NR P&P, Lead, 8m long, 6 Pair 0.9mm Telecommunications cable, with Free End to MIL5015 Plug (M)	006/191608
249	SE-SK 0925/04 Rev A or later	NR P&P, Lead, 15.5m long, 6 Pair 0.9mm Telecommunications cable, with Free End to MIL5015 Plug (M)	006/191609
250	SE-SK 0925/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 6 Pair 0.9mm Telecommunications cable, with Free End to MIL5015 Plug (M)	006/191610
251	SE-SK 0927/01 Rev A or later	NR P&P, Lead, 2m long, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) and Free End	006/191616
252	SE-SK 0927/02 Rev A or later	NR P&P, Lead, 4m long, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) and Free End	006/191617
253	SE-SK 0927/03 Rev A or later	NR P&P, Lead, 8m long, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) and Free End	006/191618
254	SE-SK 0927/04 Rev A or later	NR P&P, Lead, 15.5m long, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) and Free End	006/191619
255	SE-SK 0927/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 6 Pair 0.9mm Telecommunications cable, with MIL5015 Receptacle (F) and Free End	006/191620

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

**Table 10 Interconnects and Leads
RCPL/IBCL**

Ref	Network Rail Part No.	TABLE 10 Description	PADS No.
1	SE-SK 0651/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (M)	0006/196503
2	SE-SK 0651/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (M)	0006/196504
3	SE-SK 0651/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (M)	0006/196505
4	SE-SK 0651/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (M)	0006/196506
5	SE-SK 0651/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (M)	0006/196507
6	SE-SK 0651/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (M)	0006/196508
7	SE-SK 0651/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (M)	0006/196509
8	SE-SK 0651/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (M)	0006/196510
9	SE-SK 0651/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (M)	0006/196511
10	SE-SK 0651/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (M)	0006/196512

**Table 11 Leads
Alstom SmartIO**

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.
1	ABCH1085/01	NR P&P, Lead, 2m long, B2 2.5qmm 27-core cable, with Free End to MIL5015 Plug (M)	0006/188961
2	ABCH1085/02	NR P&P, Lead, 4m long, B2 2.5qmm 27-core cable, with Free End to MIL5015 Plug (M)	0006/188962
3	ABCH1085/03	NR P&P, Lead, 8m long, B2 2.5qmm 27-core cable, with Free End to MIL5015 Plug (M)	0006/188963
4	ABCH1085/04	NR P&P, Lead, 15.5m long, B2 2.5qmm 27-core cable, with Free End to MIL5015 Plug (M)	0006/188964
5	ABCH1085/05	NR P&P, Lead, >15.5m long as specified on order, B2 2.5qmm 27-core cable, with Free End to MIL5015 Plug (M)	0006/188965
6	ABCH1085/11	NR P&P, Lead, 2m long, D2 2.5qmm 27-core cable, with Free End to MIL5015 Plug (M)	0006/188966
7	ABCH1085/12	NR P&P, Lead, 4m long, D2 2.5qmm 27-core cable, with Free End to MIL5015 Plug (M)	0006/188967
8	ABCH1085/13	NR P&P, Lead, 8m long, D2 2.5qmm 27-core cable, with Free End to MIL5015 Plug (M)	0006/188968
9	ABCH1085/14	NR P&P, Lead, 15.5m long, D2 2.5qmm 27-core cable, with Free End to MIL5015 Plug (M)	0006/188969
10	ABCH1085/15	NR P&P, Lead, >15.5m long as specified on order, D2 2.5qmm 27-core cable, with Free End to MIL5015 Plug (M)	0006/188970

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Assessed Documentation

Table A Network Rail Configuration Documents

Reference	Title	Doc. Rev.	Date and Applies to Cert. issue No.	
All the SE-SK Drawings listed in Tables 1 to 10 inclusive				1

Table B Network Rail Process Documents

Reference	Title	Doc. Rev.	Date and Applies to Cert. issue No.	
E0622-SN-001	Requirements Specification for the Supply of Electrically Conductive Interconnects and Leads to the first Modular Signalling Schemes	1.0	30-09-2011	1
05132-AR-001	Acceptance Requirements for Electrically Conductive Railway Signalling Interconnects and Leads	1.0	30-09-2011	1
NR/L2/SIG/30027	Product Specification - Plug Couplers for Connection of Cables to Lineside Signalling Equipment	2	04-12-2010	1
PAN/E/SE/PRO/0086	Signalling 'Plug and Play' Requirements	-	12-04-2013	1
No Ref	Critical Review Report Interconnects, Leads, Plug Coupled Dis Boxes and Plug Coupled Equipment	0.1	24-04-2015	1
NF X 70-100-1: 2006 & NF X 70-100-2: 2006	Fire Tests	-	13/11/2019	1
383874	fire resistance performance	-	02/06/2017	1
20-002-334(B1)	ASTM E 162 Surface Flammability Testing of "M2 - AB Spec. 632 (50 IRHD)"	-	18/08/2020	1
20-002-334(E1)	ASTM E 162 Surface Flammability Testing of "M4 - AB Spec. 632 (80 IRHD)"	-	18/08/2020	1
20-002-334(F1)	ASTM E 162 Surface Flammability Testing of "A2 - M4 bonded to Aluminium w/Cyberbond 2241"	-	18/08/2020	1
20-002-334(G1)	ASTM E 162 Surface Flammability Testing of "A3 - M4 bonded to Aluminium w/Momentive PSA529"	-	18/08/2020	1
20-002-334(B2)	ASTM E 662 Rate of Smoke Generation of "M2 - AB Spec. 632 (50 IRHD)"	-	15/09/2020	1
20-002-334(E2)	ASTM E 662 Rate of Smoke Generation of "M4 - AB Spec. 632 (80 IRHD)"	-	15/09/2020	1
20-002-334(F2)	ASTM E 662 Rate of Smoke Generation of "A2 - M4 bonded to Aluminium w/Cyberbond 2241"	-	15/09/2020	1
20-002-334(G2)	ASTM E 662 Rate of Smoke Generation of "A3 - M4 bonded to Aluminium w/Momentive PSA529"	-	15/09/2020	1
20-002-334(B3)	Boeing BSS 7239 Toxic Gas Generation of "M2 - AB Spec. 632 (50 IRHD)"	-	24/09/2020	1
20-002-334(E3)	Boeing BSS 7239 Toxic Gas Generation of "M4 - AB Spec. 632 (80 IRHD)"	-	24/09/2020	1

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Reference	Title	Doc. Rev.	Date and Applies to Cert. issue No.	
20-002-334(F3)	Boeing BSS 7239 Toxic Gas Generation of "A2 - M4 bonded to Aluminium w/cyberbond 2241"	-	24/09/2020	1
20-002-334(G3)	Boeing BSS 7239 Toxic Gas Generation of "A3 - M4 bonded to Aluminium w/Momentive PSA529"	-	24/09/2020	1
ITR-004-020	Evaluation of ABCIRH, ABCIRP, ABMP and AB05H Product Families' Fire Resistance Performance	E	20/02/2023	1
ITR-015-022	ABCIRH Connector Series Evaluation and Comparison of Plating Performance	B	04/01/2023	1
EQ3115	Environmental Test Report to spec MIL-STD 1344A	-	05/05/1999	1
2021-1221 rev. 0	Signalling Cable Connector Testing	-	01/10/2021	1
-	PA05-7524 SE-SK AB Connectors cross ref	-	16/02/2023	1
8D 20/12/001	8D Summary Report	-	28/01/2021	1
490-10	Standard Operating Procedure - Laser marking	3	28/08/2018	1
490-60	Standard Operating Procedure - Insert Retention	2	15/04/2021	1
490-140	Standard Operating Procedure - Torque testing	4	19/03/2019	1
-	Assembly Datasheet Spec no. 672	D	19/04/2023	1
AB-F07-01-016	Market Validation Checklist	1	01/10/2014	1
AB-F07-01-017	Market Needs Document	1	01/10/2014	1
AB-F07-02-039	Manufacturing Engineering Project NPI Checklist	2	01/08/2017	1
AB-F07-03-15	Design Feasibility	1	01/08/2015	1
AB-P07-03	Design Control Process	27	01/04/2022	1
AB-R07-05-03	SAMPLING PLAN FOR AB Connector PRODUCT	2	01/05/2008	1
AB-R07-05-09	Traction Insert Retention Test	1	01/01/2007	1
AB-W07-03-02	Design Failure Mode and Effects Analysis Control	3	01/03/2018	1
-	TT Electronics NPI Gated Process Handbook	3	01/01/2019	1
-	Engaging and Separating Forces from BS 9522 F0032 Issue 1	-	-	1
-	Traction Insertion Retention Test To BS 9522 F0032	-	-	1
CGEN-0016	Potential FMEA - PA05_5724 NR Connector Installation	1	11/07/2022	1
CGEN-0017	Potential FMEA - ABCIRH Free Conn Assy	6	04/07/2021	1
CP150	Process Control Plan - ABCIRH Free Connector	4	06/04/2021	1
-	Evidence Cross ref 8.5.3	-	26/04/2023	1
-	ABCIRH Connector Installation Block Diagram	A	-	1
-	DfR ABCIRH Quality Performance	-	2018-2022	1
-	Process Flow	-	-	1
PA05_7524_RAM_PL AN	Full DFR Process for New Products to Be Developed	1	23/11/2022	1

Certificate of Acceptance

OFFICIAL
PA05/07524

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Reference	Title	Doc. Rev.	Date and Applies to Cert. issue No.	
-	Suggested Process FMEA's Severity Evaluation Criteria	-	-	1
PF-PA05-7524	Process Flow Diagram	1	13/02/2023	1
RA-PA05-7524-01	RULA Employee Assessment Worksheet	1	13/02/2023	1
RA-PA05-7524-02	Health and Safety Risk Assessment	1	20/02/2023	1
490-40	Standard Operating Procedure	6	29/09/2021	1
TSR-03105	PFMEA (Design FMEA - Connector Generic)	-	17/08/2022	1
WO:10084867	77239605 ABCIRHSE06T2214PCZF80M32V0 - In Process Test Results	-	23/02/2023	1
FS 689794	bsi Certificate of Registration - ISO 9001:2015	-	19/06/2021	1
8.1.6	Template QFD	-	22/09/2022	1
8.3.2	Example Noises	-	22/09/2022	1
8.3.2	Template Parameter diagram	-	22/09/2022	1
8.3.3	Template FMEA	-	22/09/2022	1
8.5.4	Gauge R&R Template	-	22/09/2022	1
-	AB Connectors Ltd Statement on RoHS Compliance	-	14/09/2021	1
-	REACH Certification of compliance	-	23/07/2019	1
-	MIL-DTL5015 Stayle Connectors	-	19/04/2023	1
AB-F07-03-01	Design Review Checklist	6	01/08/2015	1
-	Design Good Practice Guidelines	-	07/02/2023	1
-	Maintainability Good Practice Guidelines	-	07/02/2023	1
-	PA05-7524 — Intellectual Property Rights	-	07/02/2023	1
-	Gauge R&R Contact Method for Pin Diam	-	21/05/2020	1
-	ABCIRH Connector Series (QFD Analysis)	1	07/12/2022	1
PA05/03192	Certificate of Acceptance PA05/03192	25	26/10/2023	1

Manuals and Training Materials

Reference	Title	Doc. Rev.	Date and Applies to Cert. issue No.	
Spec 514	ABCIR Series Circular Multi-pin Electrical Connectors	8	08/02/2009	1
ABCIRH	Mil-C-5015 Types ABCIRH Halogen Free Bayonet Lock Connector Series	2001	July 2001	1
AV Spec. 672	Assembly Datasheet, Network Rail Approved Connectors	E	02/12/2023	1
766014-UK-ASBO-168	E766014 Final Report SAR 202304240657766014-UK-ASBO-168 Gillingham Smart IO Operational Trial Project Close out	1	17/05/2023	1
ALS/UK/SML400/SYS/REP/00195	SmartIO Operational Trial Critical Review Report	2	21/04/2023	1

Certificate History

Issue	Date	Issue History
1	08-12-2023	First accepted for use.

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

Contact Details

Manufacturer

Geraint Davies
AB Connectors.
geraint.davies@ttelectronics.com

Applicant

Mick Turner
Principal Design Authority Engineer
mick.turner2@networkrail.co.uk

Lead Reviewing Engineer

Donald Stevenson
Senior Engineer
donald.stevenson2@networkrail.co.uk

General Terms & Conditions

1) General

1) This certificate can only be amended by Network Rail Product Acceptance, the relevant Network Technical Head or nominated delegate. Any alterations made by a other persons will invalidate the entire certificate.

2) Failure to abide by the requirements in this Certificate of Acceptance may invalidate the certificate, thereby restricting the right to operate the product and / or limiting the future supply and deployment of the product on the infrastructure.

3) Upon the review date this certificate and the product it relates to is invalid and not accepted for use. Manufacturers are to make an application for a review prior to the review date via the NR sponsoring applicant.

2) Manufacturer

The Manufacturer shall:

1) Ensure that all products supplied comply with the standards defined in the Acceptance Requirements or otherwise documented as part of the assessment, including meeting the reliability requirements included in the Network Rail Design for Reliability Standard (DFR) NR-L2-RSE-0005 and in any deed of warranty for the relevant certificate number.

2) Notify Network Rail Product Acceptance in writing (email prodacc@networkrail.co.uk):

a. Within 48 hours, of any deficiencies affecting the quality, functionality or safety integrity of the product (including corrective action undertaken or proposed).

b. Of any intended change to the accepted product; changes include:

i. a change to the product configuration (to the actual product or its application);

ii. a variation to or addition of manufacturing locations or processes;

iii. a change in the name or ownership of the manufacturing company;

iv. any changes to the ability or intention to support with technical services, spares or repairs.

3) The Manufacturer shall provide Network Rail Product Acceptance or National Supply Chain (NSC) at least 12 (twelve) months notice of its intention to discontinue supply or to provide such notice as is reasonable if such discontinuance is outside its control and will offer the opportunity of a Last Time Buy to Network Rail together with date for last order placement and supply of the parts affected. The introduction of proposed alternative products shall be communicated to Network Rail Product Acceptance.

4) Provide further copies of operating and maintenance manuals to purchasers / users of the product as necessary (including certificates of conformance, calibration etc).

5) Provide further copies of training manuals and an appropriate level of training to purchasers or users of the product as necessary.

6) Where applicable, specialist technical support, repairs and servicing of the product shall be carried out by the Original Equipment Manufacturer (OEM) or authorised agent only.

7) Network Rail may request information from the manufacturer to prove product compliance with clauses 1 and 2 above and reserve the right to suspend and/or withdraw any application where information is not forthcoming within a reasonable timeframe.

8) In accordance with Network Rail's Quality Assurance Policy Statement, where the specification and/or Product Acceptance Certificates specify quality assurance classifications for the products, the manufacturer shall comply with the specified level of quality assurance for each product and allow Network Rail access to carry out its quality assurance checks.

9) The manufacturer shall give Network Rail's representatives access at all reasonable times to its premises and allow them to inspect its quality systems and production methods and, if requested, to inspect, examine and test the products both during and after their manufacture and the materials being used in their manufacture.

3) Conditions of Use

Specifiers, installers, operators, maintainers, etc. using the product shall:

1) Comply with the certificate conditions. If a condition is not understood guidance must be sought from Network Rail Product Acceptance.

2) Check that the application of use complies with the relevant certificate's scope of acceptance.

3) Report any defect if it is a design or manufacturing fault likely to affect performance and/or the safe operation of the railway in writing to Network Rail Product Acceptance.

4) Inform Network Rail Product Acceptance in writing of a change to the product configuration (or to the actual product or its application).

5) Operate, maintain and service the product in accordance with Network Rail standards and Operation and Maintenance manuals as appropriate.

6) Be appropriately trained and authorised for the installation, maintenance and use of the product.

7) Only send products for repair or reconditioning to the Original Equipment Manufacturer (OEM) or authorised agent.

8) Users are to be aware that Product Acceptance is not a substitute for design approval.

4) Compliance

Railways and Other Guided Systems (ROGS) Regulations

Manufacturer:
AB Connectors

Issue : 1
Valid From : 08-12-2023

1) Where the product is to be used in areas where Network Rail is not the Infrastructure Manager (e.g. leased stations), the sponsoring applicant shall additionally obtain formal consent from the Infrastructure Manager for the locality where the equipment is to be installed. This may include a requirement for additional safety verification. The decision of that Infrastructure Manager is binding, and cannot be overridden by Network Rail except by the escalation processes established in the ROGS regulations

2) As required in Railway Group Standard RIS-8270-RST, at each use of this product the project or group responsible for installation and commissioning shall be required to demonstrate compatibility with:

- a. All rail vehicle types that have access rights over the area affected by the change
- b. Infrastructure managed by others
- c. Neighbours.

Railway Interoperability Regulations

3) For interoperable constituents of systems the project or group responsible for installation and commissioning shall be required to demonstrate compliance with the relevant Technical Specifications for Interoperability (TSI) where appropriate.

4) An authorisation from the national safety authority (i.e. the Railway Safety Directorate of the Office of Rail and Road) is required before the equipment is to be used in revenue earning service.

5) Supply Chain Arrangements

1) Certificates of acceptance do not imply any particular quantity of supply nor any exclusivity of supply.

2) Products may be purchased by Network Rail or its agents, suppliers or contractors.

3) Manufacturers should note that it is not necessary to enter into any exclusive supply arrangements with resellers or other suppliers.